Vol. LXXXVI.—No. 25. ESTABLISHED 1845.

NEW YORK, JUNE 21, 1902.

\$3.00 A YEAR. 8 CENTS A COPY



All That is Left of the Library.




The Mansion of a Wealthy Resident.



▲ Shattered Tomb.



The Town of St. Pierre Viewed from the South.



The Dismantled Cathedral and its Bell.



A Street, Looking toward the Cathedral.

Photographs by C. L. King.

THE RUINS OF ST. PIERRE.—[See page 433.]

### SCIENTIFIC AMERICAN

ESTABLISHED 1845

MUNN & CO., - Editors and Proprietors

Published Weekly at

No. 361 Broadway, New York

TERMS TO SUBSCRIBERS

THE SCIENTIFIC AMERICAN PUBLICATIONS.

The combined subscription rates and rates to foreign countries will be furnished upon application.

Remit by postal or express money order, or by bank draft or check.

MUNN & CO., 361 Broadway, New York.

NEW YORK, SATURDAY, JUNE 21, 1902.

The Editor is always glad to receive for examination illustrated articles on subjects of timely interest. If the photographs are sharp, the articles short, and the facts authentue, the contributions will receive special attention. Accepted articles will be paid for at regular space rates

### ANALYSIS OF THE RECENT AUTOMOBILE ENDURANCE TEST AND SPEED TRIALS.

The second endurance test of automobiles in America this year was held under the management of the Automobile Club of America on Decoration Day, and was in every way a success. The weather was fair, and the competitors were aided in their outward journey by a stiff breeze that blew all day from the southwest.

The first machine was sent over the starting line promptly at 9 A. M., and was followed at one-minute intervals by 54 other vehicles. Seventy-four machines had entered, but 19 failed to start. An examination of the Automobile Club's report of the run, which was compiled from the memoranda of the official observers, one of whom was placed on each vehicle, shows the following interesting facts: Of the 55 vehicles that actually started, 44, or 80 per cent, finished within the maximum time limit, which required them to make an average speed of at least 8 miles per hour. The minimum limit of 6 hours and 40 minutes for the course, which was equivalent to an average speed of 15 miles an hour, was not exceeded by any competitor, and there were consequently no disqualifications for racing, as in the previous Long Island test.

Only a little over one-quarter of the machines that started were of the steam type; all the others being gasoline, with the exception of one electric. Eightysix and two-thirds per cent of the fifteen steam carriages that started finished, and 72 2-3 per cent finished without a penalized stop, while 3 steam Stanhopes. of a well-known make, equipped with condensers, repeated their performance on Long Island, covering the 100 miles without a single stop. The manufacturers of this vehicle seem to have thoroughly demonstrated that the use of a condenser on a steam carriage is entirely practicable, which results in making it possible for vehicles of the steam type to compete hereafter in the long-distance class.

The percentage of gasoline automobiles that finished was but 79½ per cent, while only 43 per cent of those starting in this class finished without a stop. This low average of non-stop gasoline machines was caused, in ome degree, by the presence among the contestants of several old or partly experimental vehicles that either did not get very far, or else succeeded in covering the entire course after many breakdowns and tedious waits for repairs. A German Benz machine built five or six years ago was started on a wager that it could not be made to run the 100 miles in 24 hours. The story of its trip is a most interesting recitation of the overcoming of difficulties and repairing of many breakdowns on the road. The vehicle finally arrived at its destination at 2 A. M. the following morning, thus winning the wager, to the great gratification of its plucky chauffeurs. One of the small American motorettes covered the last 80 miles of the journey on the low gear. The operator was forced to do this or else stop and adjust the high-speed clutch. He chose the former, and succeeded in finishing within the time limit, without making a stop. When it is understood that the small De Dion motor used was obliged to run steadily at a speed of 2,000 revolutions per minute for 8 consecutive hours, some idea can be formed of the strength and fine workmanship contained in this light weight bit of mechanism.

Another cause of the low percentage of gasoline vehicles that finished without stops is that several of the best American machines experienced no little trouble with their water-circulating pumps and oiling apparatus. One carriage with fan-cooled motor was a noteworthy exception, and the perfect performance of three machines of this type over a far more difficult course than that on Long Island would appear to indigate that the problem of the medium-sized, air-cooled masoline motor has at last been solved in a practical manner,

The endurance test, though a comparatively short one, was yet long enough to develop troubles with many of the cars. The steam carriages made the best showing as to perfect runs under the rules, though it should be remembered that the two stops they were allowed for water, fuel, and lubrication were a relief to the operators and the machines which the gasoline cars did not have. Two of the three steam vehicles. that had condensers and made no stops, lost but 6 gallons of water apiece, and the gasoline consumption was but slightly greater. One of the machines consumed only 5% gallons, or about half as much as most of the other makes, and less by over a gallon than some of the similar two-passenger gasoline machines. The lowest water consumption of a steam carriage without condensers was 71.35 gallons; the average water consumption was 81.33 gallons. The lowest fuel consumption for gasoline vehicles was three gallons.

The one electric vehicle entered in the test succeeded in turning the halfway point (50 miles) with one change of batteries at the first control, or one-third of the entire distance. Shortly afterward it dropped out, since it was not able to run any further. The performance of this carriage is considerably exceeded by the recent run over muddy roads of two English electric touring cars, which traveled successfully from London to Bexhill, a small town on the south coast some 80 miles away. The American manufacturers evidently have much to learn regarding the production of longdistance electric touring vehicles capable of covering 50 miles of cross-country roads on a single battery charge.

The speed trials held on Staten Island May 31 by the Automobile Club of America were brought to an abrupt close by the fatal accident that occurred to the Baker electric racer. The appearance of this machine before and after the accident was depicted in our last issue. Had it succeeded in finishing without accident, it would undoubtedly have made a world's record. As it was, it made a record for electric machines of 361-5 seconds for the kilometer (0.621 mile). Other records made were a mile in 1 minute 12 seconds by a Locomobile racer; one in 1 minute 173-5 seconds by a Winton medium-weight gasoline machine; and a third in 1 minute 102-5 seconds by an Orient motor bi-

The endurance test and speed trials have demonstrated that while contests of the former kind can, when properly organized, be held on the public highway without danger to life and limb, all speed trials should take place on a private course, where the spectators, for their own safety, can view the racers from an elevated point, such as a bank or reviewing stand, where their lives will not be endangered by accidents occurring to the contesting vehicles.

### PRACTICAL APPLICATION OF SCIENTIFIC EDUCATION IN GERMANY.

It is the common belief that the commercial rise of Germany has been largely due to the results of the Franco-Prussian war, which put money into its coffer's and stimulated the energies of the people. Doubtless much of Germany's phenomenal success of the last quarter of the past century was due to this event; but in order to gage accurately the nation's capacities and aims, it is necessary to look farther back than 1870-71.

It is perhaps unnecessary to say that the whole standard of education in Germany is higher than in either the United States or England, and technical education had its beginning in Germany long before the Franco-Prussian war.

Sixty years ago, Liebig had fifty students working in his factory, and all of the German universities have had their own chemical laboratories since 1827. Today, there are in German factories 4,500 thoroughly trained chemists, besides more than 5,000 assistants, whose brains are constantly at work upon the problems of improving processes, and lessening the cost of

The sugar industry illustrates the practical application which the Germans make of their educational system. In 1840 154.000 tons of beet root were crushed. from which 8,000 tons of raw sugar were produced, showing about 51/2 per cent of raw sugar extracted from the root. Twenty years later 1,500,000 tons were treated which produced 128,000 tons of sugar, or about 8 per cent. Last year about 12,000,000 tons were crushed, which produced 1,500,000 tons of raw sugar, raising the percentage to 13. This advance is due entirely to scientific treatment.

The production of dry colors, chemicals and dyes in Germany shows a corresponding increase in product and in dividend-paying capacity. Comparing the statistics of the dyeing industry of the year 1874 with those of 1898, it is found that notwithstanding prices in 1898 were considerably lower than in 1874, the net income in 1874 was 24,000,000 marks (about \$6,000,000) and in 1898 was 120,000,000 marks (about \$30,000,000). The great increase of earning capacity is due largely to the constant labor of trained men, who by application of their technical knowledge have so cheapened production that they have succeeded in getting this

trade away from the English, who formerly controlled it. Another illustration is found in the manufacture of artificial indigo, a chemical process for making which was discovered in Germany about thirty-five years ago. It was started with less than forty workmen, all told. It now employs over six thousand men, and has a staff of one hundred and forty-eight scientific chemists. By placing this substitute upon the market at a very low price the Germans have nearly ruined the natural-indigo industry of India.

The Germans have also discovered a method for obtaining ground slag from steel processes, which is used as a fertilizer; and England, although she produces as much steel as Germany, has become a good customer for this article.

A century ago, the English and French makers of scientific instruments were far in advance of the Germans. During the last twenty years all this has changed. The value of the exports from Germany of scientific instruments for the year 1898 was about \$1,250,000—three times what it was in 1888—and the work gave employment to 14.000 people.

The conclusions to be arrived at from the foregoing are not so much academic as economic and practical. In Germany, a young man is called upon to decide, early in his career, whether he will take a classical or a scientific course. If he decides to take the latter he goes into the "Real Schule," or lower scientific school, to be elevated thence to the "Real Gymnasium," or scientific high school, and thence to the "Polytechnicum," or institute of technology, which is separate from the universities. In this course he learns no Greek and only a moderate amount of Latin; but he has the sciences, engineering, mathematics, modern languages, history and a mixture of practical and theoretical training in various technical branches, with frequent excursions for the purpose of inspection of work in factories and public enterprises.

The faculties of these institutions keep in touch with the manufactories, and when capable young men graduate they easily find situations. This is also true of the technical high schools, of which there are twenty-four, which likewise have courses in engineering, architecture, drainage, irrigation, modeling, drawing, chemistry, modern languages, history, etc.

The questions for the people of the United States are: Is our system of education as perfected as it should be? Have we sufficient scientific education of the best grade, and are our educational institutions in close enough touch with the manufactories to supply their needs? If not, are we not hampered in competition with our great commercial rival, which enjoys this complete co-operation?

The Imperial Department of Commerce and Industries has been of great assistance to the German manufacturer. It has been an intermediary between the educational and practical work, guiding the one, sustaining the other, and furnishing information to the manufacturer, first in beginning his industry, later in expanding it, and finally in marketing his surplus.

We should not rely too much on our unrivaled natural resources in the struggle for foreign trade. No country can rest in fancied security. What is the cheapest and best to-day may be made cheaper and better by our rival to-morrow, with its human plant of half a hundred thousand trained scientific brains working daily and steadfastly.

### RICHARD L. MADDOX, M.D.

It is probable that very few photographers are familiar with the name of Dr. Maddox, who died on May 11 last in Southampton, England, at the age of 85. He was, however, regarded as the inventor of the gelatino-bromide process now so universally used. The process was improved after him by Kennett, Burgess and Bennett. Dr. Maddox prior to the seventies was particularly interested in photo-micrography, and found the work of drawing the enlarged images so vexatious that he looked about to see what could be done in the line of photography. He learned the practice of the collodion wet-plate process, and worked with that for a while. But the small darkroom he used soon became so saturated with ether evaporating from the collodion that it seriously affected his head and health. He then determined to try and ascertain a substitute for the collodion, and made an emulsion of isinglass, gelatine and other materials.

His experiments resulted successfully, for in 1871 he prepared a gelatino-bromide of silver emulsion and coated it upon glass plates, exposed them in a camera. securing very good negatives. These original negatives were placed on exhibition at the Inventions Exhibition in London in 1885, and he was awarded a gold medal therefor.

In 1889 he was awarded the Scott medal of the Franklin Institute at Philadelphia, and in 1901 he was awarded the Progress medal of the Royal Photographic Society of London, in each case in honor of his early work in the production of a practical gelatino-bromide process.

In 1892 a special fund was raised for his benefit of about \$2,000 through the efforts of Sir William Abney and others, "in recognition of his services to photography, and especially of his investigations in connection with gelatine emulsion." Like a true amateur and investigator, he pursued his experiments for the pure love of them, without any desire of pecuniary reward or with a thought of keeping the process secret, and for this his memory will be held in high esteem by succeeding generations of photographers.

### THE DEVELOPMENT OF THE SAULT STE. MARIE CANAL.

BY WILLIAM GILBERT IRWIN.

Few save those directly or indirectly interested in the commerce of the Great Lakes fully realize the import upon the various lines of industrial endeavor of the traffic of our great inland seas. In no other way is the magnitude of this internal shipping so fittingly exemplified as in the immense tonnage which annually passes through the Sault Ste. Marie canal, which forms that important artificial waterway which obviates the natural barrier between Lake Huron and Lake Superior, and thus opens up to interlake shipping the greatest link in the world's greatest chain of unsalted seas.

Aside from establishing Duluth as a most important point of shipping, this great canal has been responsible for the marvelous agricultural, commercial, industrial and mineral development of the great Northwest through providing cheap water transportation facilities to the Atlantic. Through the wonderful development of the iron ores the canal has been a factor in establishing the industrial prestige of Pittsburg and other iron and steel manufacturing centers. In fact, no similar expenditure of capital by any state or any nation has conferred such vast benefits to a wide area and to so extensive a population.

The time has come when the accomplishments of the human race in the wide domain of commerce and industry are no longer subordinated to the enactments of war and conquest, and for some time important events in the peaceful fields of industry have been marked by exhibitions of work along these lines. The observance of the beginning of the work which resulted in the construction of this great canal is to be appropriately observed, and although it has not yet been decided just when this event is to be celebrated, there is at this time a bill before Congress for an appropriation for this purpose.

So far as concerns the American canal, the idea was first originated by Gov. Mason, of Michigan, in his message to the Legislature in 1837, the year after Michigan was admitted to the Union. On March 21, 1837, the Legislature of that State passed an act authorizing a survey and appropriating \$25,000 for the work. This original survey, made under the direction of John Almy, recommended a canal 75 feet wide and 10 feet deep, with two locks, each 100 feet long, 32 feet wide, and 10 feet deep, the estimated cost of the work being \$112,544. On September 7, 1838, the State of Michigan entered into a contract for the construction of the canal with Messrs. Smith & Driggs, of Buffalo. Work was not begun until May, 1839, and was soon suspended owing to a clash between the United States military authorities and the contractors, which resulted in the ejectment of the latter, and thus ended the first attempt at canal-making at this point.

On March 27, 1840, the Michigan Legislature passed a joint resolution protesting against Federal interference with the work, and three days later a memorial on the subject was forwarded to Congress, in which body a bill granting 100,000 acres of land to aid the work of constructing the canal was introduced. The matter rested until 1843, when the Michigan Legislature asked Congress for an appropriation, similar resolutions being passed by that body in 1844 and 1848. In the meantime the copper industry of the Lake Superior region had assumed great importance. In 1849 the State Legislature asked Congress for a cash appropriation of \$500,000 for the canal, and finally a bill was passed by Congress and approved by President Pierce on August 26, 1852, by which a grant of 750,000 acres of land was made to assist in constructing the canal. Whether this event or the actual beginning of work on the canal will form the date of the celebration is a matter not yet decided by those in charge of the matter.

Immediately upon the passage of the Act of Congress relative to the land grant for the canal, Gov. McClelland, of Michigan, secured the services of Capt. Canfield, of the United States Topographical Survey, to make a survey for the proposed canal. An Act of the Michigan Legislature, approved by the Governor on February 12, 1853, provided for a canal commission, to which Chauncey Joslin, Henry Ledyard, John P. Barry, Shubael Conant, and Alfred Williamson were appointed. On April 5, 1853, the commissioners entered into a contract with Joseph Fairbanks, J. W. Brooks, Erastus Corning, August Belmont, H. Dwight, Jr., and Thomas Ryer as principals, and Franklin Moore, George F. Potter, John Owen, James F. Joy, and Henry P. Baldwin as sureties, for the construction

of the canal, the contractors agreeing to build the canal and defray all expenses for the 750,000 acres of land appropriated by the Federal government.

As the Constitution of the State of Michigan contained a provision which forbade all special charters, the St. Mary's Falls Ship Canal Company, with a capital of \$1,000,000, was chartered under the laws of New York, the company organizing with Erastus Corning as president, James W. Brooks vice-president, J. V. L. Prior secretary and treasurer, and Erastus Corning, J. W. Brooks, J. V. L. Prior, Joseph Fairbanks, John F. Seymour, and James F. Joy directors. While the original contract was not assigned to this company until August 25, 1853, ground was broken on the canal on June 4, 1853, by Charles T. Harvey, under whose supervision was constructed the original "Soo" canal, a work which has resulted in opening a vast domain and conferred untold wealth upon a wide section of our country.

Work upon this original canal was conducted with vigor, and on May 21, 1855, a certificate of the completion of the work was signed by Kinsley S. Bingham, then Governor of Michigan, and the members of the canal commission. A certificate to the same effect was made on May 21, 1855, by James T. Clark, engineer, and these two certificates were filed with the Commissioner of the State Land Office on May 24, 1855, and the following day the land appropriated by the general government for the canal work was patented to the St. Mary's Falls Ship Canal Company. This canal was 5,750 feet long, 64 feet wide at the bottom and 100 feet at the water surface, and 13 feet deep. There were two tandem locks of masonry, each 350 feet by 70 feet by 11½ feet on the miter-sills, with a lift of about 9 feet each, and the entire cost was \$999,-

Water was first let into the canal on April 19, 1855, and on June 18 following, the first boat passed through the canal, and thus was inaugurated intercommunication between Lake Superior and the others of the Great Lakes. Upon the completion of the canal it passed into control of the State of Michigan, the Governor, Auditor-General and State Treasurer constituting a Board of Control, John Burt being appointed the first superintendent of the canal. The canal remained under State control until 1872; and the old locks, which were built of Ohio limestone, remained in use until 1888, when they were destroyed by the excavations for the Poe lock in 1888.

Upon the transfer of the canal to the Federal government, Gen. O. M. Poe, then in charge of that district, assumed control of the waterway, being relieved by Gen. Godfrey C. Weitzel on May 1, 1873. Under Gen. Weitzel's supervision was built the lock which bears his name. This lock is 515 feet long, 80 feet wide in chamber, narrowing to 60 feet at the gates, with 17 feet of water over the miter-sills, and it was built between the years 1873 and 1881 at a cost of approximately \$3,000,000, including the deepening and widening of the canal. Plans now being formulated by the Federal authorities will increase the Weitzel lock so that it will have a length of 1,600 feet, a width of 100 feet and a depth over miter-sills of 30 feet, these improvements to cost nearly \$25,000,000.

The Poe lock, which was originally surveyed by Gen. O. M. Poe, is 800 feet long, 100 feet wide, and 22 feet over miter-sills. It was built between 1887 and 1896 at a cost of a little over \$4,000,000. The canal has been deepened to 25 feet, and the entrance piers extended so that its total present length is 8,448 feet. The channel through the St. Mary's River is now 20 feet deep at the mean stage of water and 300 feet wide, and the whole improvements on the American side up to date aggregate something over \$15,000,000.

While electricity is used for operating the Canadian lock, both the Poe and Weitzel locks use hydraulic power, a pressure of 400 pounds per square inch being used for the former lock and 115 pounds for the latter. The Poe lock can be filled and emptied in about 7 minutes, and an up-lockage of a boat 350 feet long can be made in 11 minutes, the gates being opened or closed in 2¼ minutes.

Canal work on the Canadian side began some time between the years 1796 and 1798, when the Hudson Bay Fur Company built a lock 38 feet long, 8 feet 9 inches wide, with a lift of 9 feet. A towpath was made along the shore for oxen to pull the bateaux and canoes through the upper part of the rapids. This old lock was demolished in 1814 by United States troops from Mackinaw Island under command of Major Holmes. The present Canadian canal is 5,920 feet long, 150 feet wide and 22 feet deep, with a lock 900 feet long, 60 feet wide, and 22 feet of water on the miter-sills. It was built between the years 1888 and 1895, the work being in charge of W. G. McNeil; Thompson, Ryan & Haney being the contractors. The canal cost \$4,000,000.

During the first season of the original American canal a registered tonnage of 106,296 tons passed through the canal. Until 1864 no record was kept of the number of vessels passing through the canal, but in that year there were 1,411 lockages, with an aggre-

gate tonnage of 571,438 tons. In 1870, 1,828 vessels passed through the canal, and their aggregate cargo was 690,826 tons, while in 1875, 2,033 vessels passed through the canal, and they carried 1,260,000 tons of cargo. The traffic of the canal in 1880 amounted to 3,503 lockages and 1,735,000 registered tons.

The development of the shipping on the Great Lakes was so rapid during the next few years that in 1884 but 11 per cent of the vessels passing through the Weitzel lock could have used the old canal. In 1885, 5,380 vessels passed through the canal, carrying more than 3,000,000 tons of freight; and in 1890 this had increased to 10,557 vessels, carrying 8,500,000 tons. In 1895, during part of which season the Poe lock was open, 17.956 vessels, carrying 16.806.781 tons of freight. passed through the canal. In 1900, during which year the American canal was open to navigation 231 days, a total of 19,432 vessels, carrying a registered tonnage of 22,315,834 and a net freight tonnage of 25,643,073 tons, passed through the American and Canadian canals, of which traffic fully 90 per cent passed through the American canal. The traffic for both canals for 1901 amounted to 20,041 vessels, with a registered tonnage of 24,626,976 and a net freight tonnage of 28,-403,065. The value of this freight was \$289,906,865. Navigation for the present year on the American canal opened on April 5, and for April 1,303 vessels carrying a registered tonnage of 2,067,046 tons, passed through the canal, while the Canadian canal, which opened on April 1, shows a traffic for April of 376 vessels, with a registered tonnage of 255,833 tons.

The American "Soo" canal, which is open to navigation only about eight months in the year, has more than four times the annual traffic of the Suez canal. During the past few years the vessels passing through the "Soo" canal have averaged one for every fifteen minutes day and night. Few works of man portray more fittingly the spirit of this age of industrialism, and of great achievements in production and distribution as does this, the world's greatest canal, which has about completed the first fifty years of its existence.

# MAKING FIFTY TON ANCHOR CHAINS.

BY DAY ALLEN WILLEY.

What are claimed to be the largest chains ever made in this country for securing a ship's anchors have been manufactured at the Lebanon Chain Works, of Lebanon, Pa., for the Newhall Chain Forge and Iron Company. They are intended for the steamships being constructed at the plant of the Great Northern Steamship Company, and to bend and join the links special machinery was designed by Eli Atwood, general manager of the works. They were made in four sections or "shots," each comprising 990 feet, so that the total length of the combined chains is nearly 4,000 feet. Two will be supplied each ship, one for the starboard and one for the port anchor, but for convenience in handling and construction each chain is subdivided into shots of 90 or 180 feet joined by swivel shackles.

The material employed was the highest grade of chain iron, drawn out in bars 3 7-16 inches thick for the shackles and 3 3-16 inches for the links. In manufacturing the links the bars were cut or sheared into the requisite lengths, then heated in a special furnace. The bending machine, which is operated by steam power, holds what might be called a model or die of steel of the same shape and size as the opening in the center of the link. The bar, while white hot, was drawn into shape by the jaws of the bender, enough space being left between the ends to insert the two links connecting with it. After the process the ends were "side welded" by hand in the smith shop. As each link ranges between 19 and 20 inches in length, the lengths cut for bars are nearly four feet in dimensions.

To hold the weight of the various sections during the welding and shackling processes, also to stow the complete chain, a series of metal blocks and tackles were employed to which large hooks were bolted. The chains connected with the blocks are operated by trolleys sliding along a track fastened to the frame of the shop roof.


A portion of the completed chain was tested by apparatus installed at the Lebanon Works, which is said to be the largest chain-testing machine in this country, having a capacity of 600,000 pounds. At a strain of 500,000 pounds the jaw of the holding shackle of the machine was broken, but none of the links were affected. At the second test the breaking strain was placed at 549,000 pounds, when the jaw of the machine feeding the oil to the tester was fractured. The chain itself, however, was unaffected. These figures are 55,000 pounds above Lloyd's requirements for such anchor chains.

A further illustration of the great size of the chains can be given when it is stated that each link averages not less than 165 pounds weight, an average of about 100 pounds to the running foot, making the total weight of each anchor section nearly 50 tons. The chains, of course, will be handled in connection with their respective anchors by steam power, either communicated to large winches or to special stationary engines.

### SILKWORM CULTURE IN AMERICA.

BY WALDON FAWCETT.

The movement recently inaugurated by the Department of Agriculture looking to a revival of the silk worm industry in America bids fair to prove in a considerable measure successful. That some portions of the United States are well adapted to silk culture has been conclusively demonstrated; and particularly is this true of the Southern States, where not only are climatic and other conditions favorable, but there is available some of the cheapest labor to be found any-



SILKWORMS AND MULBERRY LEAVES

where in the world—a most essential requisite for competition with the foreign silk-producing countries with their facilities for obtaining a minimum cost of production.

Silk culture ranks as one of the comparatively few activities which having once gained a foothold on this continent was allowed to languish and practically disappear. The industry was started in America in 1622 when James I. sought to foster the industry in Virginia. He sent out to the colony silkworm eggs and mulberry trees, and offered premiums for colonial silk, but after brief experiments the planters returned to the cultivation of tobacco. In Carolina and Georgia, however, the effort was more successful. Silkworms were brought by the first settlers and the industry speedily took root, flourishing for more than a quarter of a century, during all which time these two colonies exported considerable silk to London. In 1750 a silkreeling mill was established at Savannah, and in 1759 the exports of raw silk from that port alone showed an aggregate valuation of \$75,000.

The Huguenots who settled in the vicinity of Charleston, S. C., in 1677 had also taken up silk culture almost from the date of the establishment of their new home, and for nearly a century from \$5,000 to



REELING SILK

\$10,000 worth of silk was annually exported from Charleston, in addition to which a considerable amount was woven and consumed at home. The Revolutionary war had a blighting effect upon the silk industry in all parts of the South, although during the conflict the raw material was made into sewing silk and sold in the home market. Henceforth, however, the history of the industry in the New World was shifted to the more northerly colonies.

The colony of Connecticut was the scene of experiments in silkworm culture as early as 1760, and within a decade after that the industry had also taken root in a small way in New York, Pennsylvania, New Jersey, Rhode Island and Massachusetts. In all these colonies the industry was seriously affected by the War for Independence, but at its close a greater effort

For years past silk culture has been carried on in a modest manner in various parts of the country. In Utah, for instance, there are a number of people who are raising silkworms from year to year, growing mulberry leaves for their food and actually producing silk and weaving it into cloths for family use. Mrs. Carrie Williams, of San Diego, Cal., has been



THE SILKWORM RACKS.

was made for its revival than was the case in the Southern States. Connecticut in 1783 offered a bounty to silk growers and thus attained to first rank in the amount of silk produced, a place which she held for four-score years, and in Pennsylvania Benjamin Franklin and other public-spirited citizens interested themselves in the restoration of the industry. Silk growing became popular in all the States on the Atlantic seaboard, and the Connecticut output reached a valuation of \$200,000 a year, but during the years between 1838 and 1844 large nurseries of Chinese mulberry were planted, and there set in that speculative craze that in the end proved the ruination of the industry. For a time yearling trees sold for prices ranging from \$3 to \$4 each, but in the winter of 1844 a severe frost destroyed hundreds of thousands of the young trees. Instantly the speculation collapsed. Hundreds of silk growers who had purchased trees at fancy prices were ruined and the entire industry received a setback from which it never recovered. It

was suggested that the New England silk growers plant a hardier variety of mulberry and retrieve their fortunes, but they preferred to turn their attention to silk weaving, using imported raw silk, and silkworm culture was allowed to languish.


The practical investigation of silk culture by the United States Department of Agriculture began as the result of an agitation of the subject dating from the Centennial Exposition of 1876 and was carried on by virtue of specific appropriations by Congress, continuing, practically, from 1884 to June 30, 1891. The experiments, which were conducted on an extensive scale, the work being under the supervision of the Division of Entomology, established the possibility of raising a most excellent quality of silkworm cocoons over nearly the entire country, but also disclosed the one great obstacle to the industry as a profitable enterprise, namely, the difficulty of finding labor in the United States to compete with the low-priced labor of foreign silkraising countries in the operation of reeling or converting the cocoons into raw silk. All the later work of the Department has, therefore, been especially directed to efforts to remedy this state of affairs and to equalize by improved machinery the difference in wages

between this and foreign countries, thus making it possible for the manufacturer to pay a better price for cocoons. Electric silk reels and other devices have been introduced, but even with such adjuncts there is little likelihood that the industry will be made a highly profitable one unless a heavy import duty is imposed on reeled silk imported into the United States—a rather unlikely procedure it must be admitted.

engaged in the industry in a small way for some years past, and Dr. W. H. Hill has at Peoria, Ill., an institution from which over 1,000,000 silkworms are shipped annually.

As has been stated the greatest obstacle to be overcome in the establishment of the industry of silk culture in the United States is found in the labor problem, and it is for this reason that the friends of silk culture look with an especial degree of hope to the field presented by the Southern States now awakening to industrial activity. Raw silk is, it is true, the product of the cheapest labor in foreign countries, but no country has cheaper labor than is available in the Southern States. Children who are unable to do heavy field work can be employed; and, moreover, the entire task may be attended to in April and May when there is no cotton picking. What makes the plan appear especially feasi-

ble is the seemingly parallel circum. stances which are found in the tea-raising industry in the South. It has been demonstrated within the past few years that tea can be grown profitably in the South, the leaves being gathered by children whose parents are delighted with the addition made by these earnings to the familv income. This class of labor can, of course, be employed to pick mulberry leaves and feed silkworms. Another vantage which will be enjoyed by the people of t h e Southern States in the raising of silkworms is found in the inexhaustible supply of leaves of the Osage orange which is avail-



STAGES OF SILKWORM GROWTH.

able in that section of the country. The Osage orange leaves have been found to be as good food for silkworms as mulberry leaves and the silk produced on this diet is of the finest quality. Thus there is removed all possibility of a repetition of the losses which ruined the American silk culture industry

during the first half of the last century, and finally, an abundance of Osage orange hedges obviates the necessity for any expenditure whatever in cultivation.

The silkworm is, of course, the larva of a moth. There are several species, but one variety has been under general cultivation for centuries. The silkworm



AN INSECT CAUGHT IN THE TENTACLES OF DROSERA ROTUNDIFOLIS.

eggs are nearly spherical and about the size of turnip seeds. Each female produces an average of from 300 to 400 eggs, in the neighborhood of 20,000 eggs being required to make an ounce in weight. For a time after the infant worm has gnawed its way out it consumes its own weight of leaves every day. Upon attaining full growth the insect becomes restless, stops feeding and throws out silken threads. The silk is formed in a fluid condition and issues from the body of the worm in a glutinous state—apparently in a single thread. From this silk the worm constructs its cocoon, an interval of from three to five days being required to complete its imprisonment in the fragile envelope.

In order that the silken strands may not be subjected to the danger of breakage by the moth emerging from the cocoon, the cocoons are steamed until the inclosed insects are presumably dead. After this the silk may be wound off. The outer silk known as "floss" is used for carding, while the inner cocoon is tough, strong and compact and composed of a single continuous thread. It is essential that the room in which the silkworms are reared be warm in winter and well ventilated. If only a few insects are reared all the operations are usually performed on trays set on tables, but where the industry is carried on extensively there are employed deep shelves ranged one above another. The eggs when about to hatch are spread thinly and over them is placed ordinary mosquito netting on top of which is scattered finely cut leaves. The new-born worms pass through the meshes of the net in search of food and may then be transferred to any place desired. Later little arches of twigs must be provided, into the branches of which the worms mount and spin their cocoons.

# REFLEX ACTION OF PLANTS AS COMPARED WITH THE INSTINCTS OF INSECTS.

BY J. CARTER BEARD.

We have all of us been so accustomed to wonderful stories of the wisdom of ants and of bees, as well as



DIONŒA MUSCIPULA


other worthy members of entomological races, that the doubts which certain scientific investigators are beginning to entertain with regard to the truth of any assertion that attributes conscious intelligence to these little creatures, comes upon our sentimental appreciation of their ways with something like a shock.

When we consider the wonderful adaptation of means to an end, the prevision and the ingenious methods employed by many sorts of insects in carrying out the purposes and objects of their lives, we are indeed inclined to credit them with intelligence of a high order. It is only after we are forced to recognize the extreme limitations of this so-called intelligence, its inflexible nature, and its inability to adapt itself to other conditions than those under which it is habitually, or ordinarily exercised, that we recognize how much is wanting in the behavior of insects to furnish conclusive evidence of their possession of any intellectual capacity whatever.

Light, for example, attracts insects in general, as it does also plants, but it does not necessarily follow that vision, in the human sense of the word, belongs either to plants or to insects.

The attraction of light governs the growth, the inclination of stems and the position of leaves; the plant reaches, so to express it, out toward the light with all the power it has—yet it does not see. The insect has eyes or organs of vision (quite different from ours), but all we absolutely know about insects is that they are influenced by light, and to aver, without more definite knowledge on the subject, that they do anything so highly psychical as seeing (as human beings see) is not only unscientific, but not at all consistent with well ascertained facts. How unintelligent is the impulse the insect shares with the plant in seeking the light, is shown by the inane manner in which moths or beetles will flutter about a white ceiling, or plunge into a flame.

Intelligence does, indeed, direct the actions of the bee in building her comb and filling it with honey, and



A BUTTERFLY CAUGHT IN THE TRAP.

the ant in her wonderful domestic economy; but it is an intelligence quite as much above the plane of consciousness of the bee and of the ant, as it is above that of the orchid, for instance, in the admirably ingenious manner in which the flower enlists the aid of the insect in conveying pollen. Reflex actions of this kind mimic intelligence on the part of the actor, something perhaps as do the movements of the boat. said to have been invented by Tesla, which, worked by etheric waves, proceeds in any given direction, turns or dives beneath the surface of the water upon which it floats, not in obedience to any directing power on board, but at the will of a person operating a battery on the shore.


The stimuli of whatever nature, light, heat, some form of electric action, magnetism, or even more subtle, occult forces which move insects, seem to have the unvarying and unthinking nature of those supplied to mere machinery; the result is much the same as in an automaton, blind perseverance in a certain limited number of actions it is designed to perform.

Take from the cell excavated by a digger wasp, the grasshopper she has placed there, and upon which she has laid her egg, and the wasp, after entering and exploring the cell, will, instead of restocking it and laying another egg, calmly close it up, just as she would have done had it not been robbed.

Cut off the antennæ by which the wasp (Sphex maxillosus) drags a cricket to her burrow, and Sphex, unable to get her accustomed grip, leaves her quarry, and goes off in search of crickets which have not lost their antennæ. It does not occur to her that the creature has legs as well as antennæ.

The sand wasp (Bembex) can unerringly return to the entrance to her cell from the distance of a mile or more, over a featureless sandbank, and although her burrow is covered over with sand, and to human eyes entirely indistinguishable from the parts surrounding it, the wasp can alight upon the exact spot, scratch away the sand and enter the nest; but remove the surface, exposing the cell and the larvæ,

and Bembex is entirely at a loss, unable to recognize either her own nest or her own offspring. Nothing can more perfectly show how an interaction of forces, without a conscious, directing intelligence, can, in a certain particular way, achieve a marvelous result,



VENUS' FLYTRAP, OPEN.

while in every other, it results in confusion and fairure. The unusual happens, and an organism constituted as is the Bembex, is thrown out of gear, much as would be a machine in which a cog-wheel has failed to engage the answering cogs of another wheel.

There are in plants fully as many ingenious devices to attain some desired end, and as many adaptations to special environments, perhaps, as among insects. Plants, however, rooted as they are to one spot and in general incapable of movement, exhibit contrivance in the only way left them to do so, in their habits of growth, and in the form and arrangement of their parts, as seen, for instance, in the manner in which many provide for the distribution of their seed, and the inventive faculty, so to speak, shown in the modifications of form in orchids to secure fertilization. I say in general incapable of movement, because the rule admits of very notable exceptions.

In the telegraph plant (Desniodium gyranus) of India, of the three leaflets of which each of its leaves are composed, the larger terminal one erects itself during the day, and turns sharply down at night, while the other two smaller leaflets move constantly day and night, describing complete circles with a peculiar jerking motion like the second hand of a watch. Occasionally they rest for a period and then go on again, thus bringing every part of every leaf to the full action of the sunlight.

Many plants shift the position of their leaves as the direction of the light changes. This power is possessed to a considerable degree by some of our common house plants. If an oxalis shrub, for instance, is exposed for a time to the light in a window, and then turned half way around, an observer can by watching, see the leaves readjust themselves to their new position in relation to the light. Certain movements of plants seem to testify to the possession by the plants of something answering to the tactile sense in animals. A number of plants besides the common sensitive plant, exhibit apparent sensibility to external impressions and manifest also the power of transmitting the perception of these impressions from one part of the plant to another. In addition to this power, there are plants which possess a power of discrimina-

tion that certainly seems to have as just a claim to being called intelligent as are the actions of some in-

sects. If a drop of water, or a grain of sand, falls upon the gland - studded leaves of the s u n d e w $(D \ r \ osera).$ nothing more happens than as if they had been dropped upon the leaf of any ordinary plant; but let an insect or a bit of meat take



SUNDEW

the place of these innutritious substances, and you shall see the tentacular glands gradually bend over, and assisted by the curling up of the leaf itself, enfold the esculent morsel, and cover it with a digestive fluid, which at once dissolves it and adapts it to be assimilated by the insect-eating plant. But it is worthy of note that the instinct of the plant, under certain exceptional circumstances, like the instincts of insects, sometimes goes wrong; for the sundew as eagerly accepts morsels of cheese as it does of any other nitrogenous substance, and cheese is a poison to the Drosera plant. The sundew is not the only plant which exercises choice and discrimination in the selection of its food. In and about the swamps of North Carolina, and indeed in many other parts of the United States, is found the Dionea, or Venus' fly-trap. It has, as has the Drosera, very small roots, which, like those belonging to the sundew, serve only to give it a foothold, and supply it with moisture; the plant captures the food necessary to its subsistence. The leaf blade is constructed like a steel trap, the two halves snapping together, and the marginal teeth interlocking as do the teeth of a trap. Long, sensitive bristles, generally three in number, arranged in a triangular order, erect themselves upon the upper surface of the trap. Touched ever so slightly by a hovering or flying insect, they transmit an impulse which in an animal would be called a mandate of its will, to the muscles or the machinery that moves the lobes of the trap, and so instantly is this obeyed, that these lobes close upon the insect and capture it. Inorganic bodies placed upon the lobes, unless they touch the sensitive filaments, do not cause them to close; organic bodies when moistened and placed upon the leaf, cause it, after absorption has begun to take place, to close slowly. The lobes may be made to close over either organic or inorganic substances, but with a difference. When an inorganic substance is placed upon the leaf, and one of the sensitive bristles is touched, the leaf indeed shuts up, but in such a manner as to leave a hollow space between the lobes of the trap; it is as if the plant were tasting the substance to see if it were fit for food. When, on the other hand, an organic substance falls upon the leaf, both lobes press against it and against each other with force enough to flatten out a portion of the white of a hard-boiled egg, that they have been made to close upon. Again, when any innutritious substance is caught, the glands are not excited to secrete the digestive fluid, and the lobes soon open, freeing the substance and showing it perfectly dry. If the object caught is too small to make it worth the attention of the plant, it is allowed to escape between the interlecking teeth; but if the quarry be large enough, and of a nutritious character, the lobes will remain flattened together over it for fifteen, twenty-four, or even thirty-five days.

Darwin, speaking of the sensitiveness of root tips, shows that they have developed diverse kinds of sensitiveness, so that "it is," he says, "hardly an exaggeration to say that the tips of the radicle thus endowed, and having the power of directing the movement of the adjoining parts, act like the brain of our lower animals, the brain being seated within the anterior end of the body, and directing the several movements."

The wonderful power of this substitute for a brain, as shown in its leading the parts to which it is attached over, under, or around every intervening obstacle through the dark earth to a more or less distant water supply, or a rich deposit of nitrogenous nutriment in the form of a buried carcass, is it not quite as wonderful as the faculty of the bee in finding its way to its nest, or of a male moth discovering from a great distance the locality where a female of the same species is hidden?

Of course only the merest glimpse at the wonderful reflex action of plants can be here given, but a more extensive investigation of the subject leaves the student impressed with the fact that both plants and insects develop along narrow lines a perfection of power in adapting means to an end that nothing in the plant or in the insect can at all account for, and that as students of Nature are beginning to believe, no series of merely fortuitous, aggregated variations can explain.

As the construction of the Nile reservoir at Assouan involves the unavoidable submersion of a portion of the temple of Philæ, situated upon the island of Philæ, the Egyptian government has decided to take all possible steps to preserve a record of these monuments as they existed prior to the rise in the water levels, and also to lessen any danger which might arise from the annual inundation. The record of these historic monuments has been completed, and now to insure the stability of the structures the foundations of the temples are being underpinned. As the foundations of the temple of Isis were found to descend everywhere to the solid rock, it was decided to limit the operations to the consolidation of the other structures. It is expected that the work will be entirely completed in the course of a few weeks.

### MIXING PUMP.

The blending of whisky and the rectification of spirits in general is based on the fact that cheaper qualities can be improved considerably by the addition of comparatively small quantities of higher grade goods, certain essential oils, and other ingredients. To effect such an amelioration, it is a matter of the utmost importance that all constituent parts are not only poured together, but that the mixture is thoroughly stirred and repeatedly agitated, that all particles may mingle freely and every ingredient become distributed most minutely. Only by infinite diffusion and energetic agitation can the different parts of the mixture act upon each other chemically, and effect




DIAGRAM OF THE MIXING PUMP.

a blend of uniform character that bears the savor of "age," otherwise obtained only as the result of years of careful storage and maturation. This vital point of stirring up and agitating the mixture is too frequently neglected, especially in smaller establishments with limited storage facilities, where ingredients are added to liquor already within the barrels. The shaking of the barrel or package is certainly insufficient to mix the heavy sirup and other sweetening matter with the light spirits, particularly in moderate temperatures. Nor can the oils be properly diffused by the mere rolling of the barrels or stirring with a stick through the narrow bunghole. Stirring in open tanks has the great disadvantage of reducing the strength in alcohol and aroma, by continually exposing new parts of volatile matter to the air. Under certain conditions this renders liquor cloudy through



MIXING PUMP IN OPERATION.

the oxidation of essential oils exposed in this manner. To achieve the best possible results it is necessary that the stirring be done most energetically near the bottom of the vessel, where sirup and other heavy matter will settle; that part of the mixture be forced into the rest with a certain pressure, thus creating a strong current and numerous whirls throughout the tank or barrel; and that the air be excluded as much as possible.

A simple and effective tool, that complies with all these requirements, is a mixing pump just patented by Mr. Herman Soellner, of 842 Bushwick Avenue, Brooklyn, N. Y. One of our views shows the pump in operation, while the construction is clearly indicated in the diagram. The plunger fits snugly in a cylinder, at the bottom of which is a double nozzle

controlled by a double valve. Connected to the nozzles are two sections of rubber hose, while a metal spur in the center serves to hold the pump in proper operative position. Now, when the plunger is drawn upward the rubber valve-disk is sucked up, closing the left-hand nozzle, but opening the nozzle at the right, as indicated by dotted lines. The cylinder will thus be filled with the liquid, which on the downward stroke is discharged through the left-hand nozzle. Repetition of this process results in establishing a current through the liquor, which thoroughly mixes all the elements. The discharge pipe, it will be noticed, is longer than the receiver. The purpose of the former is to direct the current in a whirl that embraces the entire contents of the barrel, while the latter pipe receives its supply from the bottom, where the heavier matter is most apt to settle. From a practical point of view this tool fills every want. It can be used in a tank as well as in a barrel of any size. Its simplicity, lightness and easy manipulation appeal to the workman, who can assume a comfortable position, slip the mixer through the narrow bunghole and achieve all that is required within a few seconds. All parts of the mixer are interchangeable, indifferent to alcoholic solutions of any strength and need no cleaning other than rinsing to remove the characteristic flavor of the respective liquors. The utility of this mixing pump is not limited to the rectification business only, as it will mix fluids of the most different chemical nature and specific gravity. It causes a perfect solution and disintegration of salts, oils, chemicals, paints, etc., and also distributes insoluble matter, such as charcoal, boneblack, and other materials.

### French Competition for Belt Mounters.

The numerous accidents to workmen in establishments where belts are used has recently brought about the stringent application of a French law, forbidding the removing or replacing of a strap by hand while the machinery is in motion.

In order to obviate the waste of time consequent upon the stopping of the machinery, an association of French manufacturers has announced an open international competition for the best fixed belt mounter.

The invention should be designed for simple and not for conical pulleys, and must comply with the following conditions:

- (1) It must be simple, strong, and occupy little space: easy to fix and use.
- (2) Not dangerous in working.
- (3) Convenient for any speed, width, or position of belt.
- (4) Able to throw the belt off or on.

(5) Sufficiently low in price to allow of its wide use. Competitors are invited to send a full description of their invention, accompanied, if possible, by a model or at least by satisfactory illustrations, to the president de l'Association des Industries de France contre les Accidents du Travail, No. 3 rue Lutèce, Paris, prior to October 1, 1902.

This notice may be of interest to American inventors or to firms dealing in machinery of this character.

### The Current Supplement.

The first article in the current Supplement, No. 1381, is a well-illustrated account of rice culture in the United States, by Dr. S. A. Knapp. Of technological interest is an illustrated description of the mechanical manufacture of bottles. A new army pistol used in Switzerland, and called the "Parabellum," is made the subject of an article, accompanied by several engravings. An entertaining essay by Frank Hix Fayant tells how electrical engineers are trained. William A. Del Mar, who has contributed to the Sur-PLEMENT many articles of practical interest describes graphically how a modern coherer is made, and tells something of its history as well. The use of oxygen in cases of carbon monoxide poisoning may be of value to physicians. H. M. Miller pictures the manners and customs of the people of Southern Borneo. A very full treatise on carbureters will interest some of our automobile readers. The Consular Notes and Selected Formulæ will be found in their usual places.

### International Navigation Congress.

From June 29 to July 5, 1902, the Ninth International Navigation Congress will be held at Düsseldorf. The aim of the Congress is the encouragement, promotion and improvement of navigation, as well as the exchange of experiences gained. Technical and economical questions relating to inland and ocean navigation will be discussed.

Oscar McClellan, a printer, inventor and bosom friend of Edgar Allan Poe, died at his home in Philadelphia recently at the age of 82 years. He was an inventor of some note, and three times had placed himself in an independent position through his inventive genius. His last achievement in this line was an improvement on a machine for performing some of the operations of shoe-making, for which improvement he received \$80.000 in royalties.

### THE RUINS OF ST. PIERRE.

We are enabled to give our readers, in the present issue, illustrations of the ruins of St. Pierre, that quaint, old-fashioned town which but yesterday was the most picturesque spot in the West Indies. Though the first news of the tragedy filled us with horror, our minds were unable to picture the awful extent of the disaster which we are now only just beginning to appreciate. One of our illustrations gives us a general view of the city, showing the bare ruins, the broken walls, the blackened tree trunks, the wreck of years of labor—a grim picture of death. St. Pierre owes the completeness of its destruction, in a great measure, to the manner in which its streets were laid out. The city rises in terraces parallel to the water-front. The streets, twisted and curved, run mainly in the direction of these terraces. There are few cross streets, only three or four leading down to the water's edge. Thus it was that when the eruption came, all the walls parallel to the sea-front and directly opposed to the volcanic blast were immediately leveled, burying the frantic pedestrians, choking up the long, narrow passageways, and destroying all avenues of escape.

The cathedral, whose ruins appear in several of our views, was a handsome piece of architecture. In its belfry hung the finest peal of bells in the West Indies. It commanded a fine view of the sea, and was a most conspicuous object in the panorama of the city. On the eventful morning of the disaster the church was crowded, for it was the day of the Feast of the Ascension. No human work could withstand the fury of that blast. The great structure, the pride of St. Pierre, lived but a moment, and then fell, obliterating those who had put faith in its massive walls and strong

roof. The great bell of the cathedral may be seen in one of the illustrations, partly buried under the refuse.

A very interesting part of the ruins is the burying place of the city. Every headstone is destroyed, and all signs of graves are effaced. One of the illustrations shows the vaults with their little mortuary chapels. Wreaths and mortuary emblems, handsome silver lamps and candlesticks may be seen in these tiny chambers.

Everywhere is destruction. Substantial residences and beautiful gardens all shared the same fate, and over all lies a white pall of ashes."

According to Prof. R. T. Hill, of the National Geographical Society, the area of the catastrophe forms an elongated oval, covering eight miles of land, in which there are several well-marked zones; the first or center zone, in which all animal and vege-

table life is utterly destroyed; the second, in which a blistering flame killed animal life and burned the leaves on the trees, but did not entirely destroy the leaves themselves; and the third, a zone of ashes which did slight damage to vegetation only. The northern portion of St. Pierre was in the first zone, and here all animal and vegetable life was instantly annihilated. The terrible explosion of gases must have had tremendous force, for guns in a battery on a hill south of the city were dismounted and carried for yards.

A new crater midway between the peak of Mont Pélée and the sea was the cause of the destruction of St. Pierre, and is still vomiting forth black mud, while sympathetic and synchronous eruptions are taking place in the old crater.

### Baldwin Relief Party.

News comes from London that W. S. Champ, secretary of the Baldwin-Ziegler expedition, has started on his journey to search for Evelyn B. Baldwin, who is now in the polar regions. Mr. Champ will leave Tromsö in July, and will first endeavor to find the "America," which is believed to have wintered in latitude 82 degrees north. Mr. Champ expects to return between October 1 and 15.

### The Longest Railroad Run on Record.

The Pennsylvania Railroad has had a run made from Pittsburg to New York, 438 miles, without a stop. This is the longest run of a passenger train on record. In order to accomplish this feat it was necessary for the locomotive to carry an extra supply of coal, and this was done by enlarging the locomotive tender.

### Correspondence.

### Volcanoes and the Sun and Moon.

To the Editor of the Scientific American:

Kindly permit me to call your attention to some remarkable coincidences between certain positions of the moon, relative to the earth and sun, and the recent earthquakes and volcanic disturbances. Do not the following comparisons of facts go to prove that such disturbances are most likely to take place when the moon is directly in line with the earth and sun (conjunction, opposition, eclipse), when the moon is nearest the earth (perigee), and when it crosses the earth's equator?

The moon crossed the earth's equator on April 19; the terrible earthquakes in Guatemala began on the evening before and continued until the 21st. The moon was full and at eclipse node on April 22; the volcanoes in the West Indies first showed signs of activity on the day following. The moon crossed the equator again on May 3—the day that Mont Pelee, on the island of Martinique, first began eruption. The moon was new and at eclipse node on May 7 and in perigee on the 8th; La Souffrière volcano, on the island of St. Vincent, began violent eruption on May 7, and Mont Pélée destroyed the city of St. Pierre on the 8th. Then, as the moon receded from perigee, getting farther away from the earth, the volcanoes gradually quieted down until the activity ceased on May 15. The moon crossed the equator again on Friday evening, May 16, and on Friday Mont Pélée again began eruption, which became violent next day.

The writer has for several years been observing this



Photograph by C. L. King.

### ANOTHER VIEW OF THE RUINED CATHEDRAL.

relation between the positions of the heavenly bodies and seismic, volcanic, and electrical disturbances, and is forced to the conclusion that the latter are caused in part by the conjunctions, oppositions, perihelions (or perigees) and equinoxes of the moon, earth, and seven other planets, especially when several of these occur at once. Such disturbances do not always occur at these times, but observation proves that nearly all of them do so occur. It is not claimed that the relative position of the heavenly bodies is the sole cause; it is only an aggravating cause and must be combined with local causes and conditions in order to produce seismic and volcanic disturbances. Scientists now recognize the fact that sun spots are caused by the perihelion, etc., of Jupiter and other large planets. Then why are not earthquakes caused in the same general manner?

The writer is convinced that severe disturbances of these kinds can be predicted as accurately as the weather, and that the recent volcanic outbreak could have been predicted with a certainty several days in advance, and the awful loss of life thus averted. The writer felt certain that there would be another severe volcanic eruption on May 16 and 17, and it came.

The moon will cross the earth's equator again on May 31 and June 13, will be in perigee on June 5 and new on June 6; therefore, more volcanic and seismic disturbances are probable on and about those dates in various parts of the world, but especially where they have been occurring recently.

I submit these facts and theories for your candid and unbiased consideration, and in conclusion I earnestly request that you express your opinion of them in the Scientific American, or at least explain them to your readers, so that these facts and theories may be

carefully investigated by scientists for the benefit of mankind. Elmer G. Still.

Livermore, Cal., May 18, 1902.

[We have but little faith in the influence of the variation of the tidal action of the moon, sun, and planets on the seismic perturbation of the earth's crust. To establish any relation of tidal and seismic action, a reference must be made of these conditions at moments of volcanic outbreaks or severe earthquakes in long periods past. The tidal force of the moon is at its maximum every lunar day in some part of a zone of the moon's declination north or south, intensified only by the sun's tidal value at conjunction. Its effect on the tidal pressure of the oceans is varied by the contour of the continents and is probably larger where earthquakes are least felt and not in the regions of volcanic activity; for instance, the tides in the Antilles are only two feet at spring, and are equally small in the regions of great volcanic activity in the past-Krakatoa, Vesuvius, Japan, Central America, Iceland, Mount St. Elias—while the region of greatest tidal force, the Bay of Fundy, is comparatively free from seismic disturbance.

We rather attribute earthquakes and volcanic disturbance to the strain and pressure caused by the contraction of the earth's crust upon heated matter in the interior of the earth and its consequent outbreak at the weak points, which are represented by the relief vents that have been in action for thousands of perhaps millions of years.—Ed.]

### A Trip on the "Fulton."

To the Editor of the SCIENTIFIC AMERICAN:

Perhaps you will consider the following extract,

which I have just come across, in the diary of Rev. G. Washington Philips, written in 1817, of interest to your readers as bearing on the series of papers which has lately appeared in your newspaper:

"In the evening I proceeded to the steamboat, with the intention of taking a passage to New York. Seldom have I been more entertained than at the surprise and admiration expressed by the African servants we had brought over. They had heard of ships without sails, impelled by fire, but had always considered such reports as altogether fabulous. When, therefore, they beheld the steamboat, like a huge sea monster, floating on the surface of the water, advancing with inconceivable rapidity amid the foaming billows; heard the clatter of the water wheels, the hollow sound of the machinery working,

and the sudden crash caused by the discharge of steam through the valves, they were completely aghast. Some persuasion and encouragement were necessary to make them venture on board. The vessel, which was named the 'Fulton,' was near 156 feet in length, with excellent accommodations of all sorts. At 8 o'clock the following morning I found myself at New York, distant a hundred miles, without any of the fatigue, delay, or inconvenience of a land journey or any of the uncertainty and risk of water carriage."

He then gives an interesting description of New York, which "like ancient Tyre, rises amidst the waters and presents a very magnificent spectacle as it stands surrounded with a forest of masts." What would he say to the New York of 1902?

A. E. MURRAY.

----About thirty million gallons of mixed paint were sold in the United States during 1901. The greater portion of this was not used in the large cities, but in the towns and villages, where structures are of wood. In no country is so much paint made as in the United States of America, and the bulk of that paint is composed of lead; zinc, and linseed oil, and only the darker shades are made of oxides of iron and other pigments. Many manufacturers use a small quantity of water in their mixtures, and when the quantity of water is not over 2 per cent, it cannot be regarded as an adulterant. The water used is usually slightly alkaline, and in the case of lime water it forms a calcium soap with linseed oil and thickens the paint, so that it never settles hard in the tin and is easily stirred.

### EXTRAORDINARY TRENCH DIGGING.

BY GEORGE J. JONES.

A notable piece of excavating machinery is to be seen working at present just outside of Moorestown, N. J., where a sewer system is being laid. The machine referred to is a trench digger, which, operated by five men, cuts a swath through the earth with marvelous

rapidity and neatness. The operation of this machine represents a saving as compared with hand work in many different ways. In the first place, in order to lay the smaller sizes of pipe, it is necessary to dig a hole very much larger than is required for the pipe in order to accommodate the bodies of the men who must work in the trench. Then again, where the pipe is to be planted at some considerable depth, the men are compelled to work in stages, and the soil removed must be handled many times before it is finally passed out of the trench. When this trench-digging machine is used, the hole is made just large enough to accommodate the pipe, and this represents a great economy in the amount of material handled. This machine is built by the F. C. Austin Manufacturing Company, of Harvey, Ill., to whom we are indebted for much of the information found herewith, but the photographs were specially made for this

article. The machine at work at Moorestown is the largest and most powerful ever built by the company.

The digging machine is built of a framework of I-beams mounted on four broad-tire wheels, and in front of it as it cuts its way along through the earth is a 25 horse power traction engine which supplies the power, the connection being made through a chain belt.


At the other end of the machine there is a twenty-foot shaft of light iron work, the free end of which has a vertical movement. A pair of sprocket wheels at each end carry an endless link belt built up of steel drop-forged links and connected by cross-bars and fiat blades

or scrapers. Fastened to each cross bar are two plow-shaped cutters, the latter being staggered, so that the whole series of cutters will cover the whole width of the excavation. Alternate bars are fitted with side cutters for trimming the sides of the ditch. The dirt is carried to the top and deposited on a rubber belt, which carries it to either side as may be desired.


The buckets. immediately behind the cutters, are themselves of peculiar design, as they open automatically when they reach the end of the shaft nearest the hopper, and thus prevent any of the excavated soil from remaining in them.

The chain with

its buckets and cutters passes over the main shaft of the machine, and the other end is lowered into the ground and does the cutting. Its position is capable of constant and instant adjustment, so that a ditch of six inches can be dug as readily as one of twelve feet. This hoisting or lowering to the required depth is accomplished by means of a steam gear, which




TRENCH DIGGER, SHOWING CONVEYER FOR DELIVERING THE SOIL AT THE SIDE OF THE DITCH.



THE TRENCH DIGGER AND ITS ENGINE.



A VIEW SHOWING ENDLESS CHAIN WITH BUCKETS, a



A DEEP TRENCH DUG BY THE MACHINE.

crowds the rack at the rear of the machine either down or up as the case may require. It will be seen that the weight of the machine is thus applied to the crowding device, is removed entirely from the banks of the ditch, and instead assists in the cutting, as the pressure is applied to the breast of the cut.

An iron stake is anchored some eight or nine hun-

dred feet in advance of the machine, to which a cable is attached, this being spooled on a drum in the front part of the machine. At every revolution of the gear wheel a certain amount of this cable is wound up by means of a ratchet device, and gives a steady advance which is automatic. This is capable of regulation, and the speed with which the digger passes along through the earth may be adjusted to the varying conditions of the soil encountered.

The work at Moorestown was hampered to a very large degree by the presence of quicksands, which were not anticipated. The buckets used are not adapted to raising this character of material, but small rocks and frozen ground are easily handled by the machine. This machine with its crew of five men does work which would be a credit to a very large force of laborers. Under favorable circumstances a ditch four feet deep can be dug at

the rate of sixty feet an hour.

nour.

For the purpose of preventing street accidents during fogs, which are frequent in London, at certain periods of the year, the Westminster County Council has devised a convenient portable apparatus of great illuminating power. The apparatus · consists of a round tank 24 inches high by 18 inches in diameter, charged with 25 gallons of petroleum. By means of compressed air the oil vapor is forced from the tank into a standpipe, attached to which is a burner. By means of a little naphtha, benzoline or paraffin, with which the burner is saturated, the means of igniting the vapor are obtained, and

a powerful torch is produced with a flare ranging from 18 inches to 2 feet and a power equal to upward of 1,000 candles. A number of these "fog lights" are maintained ready for use night and day at various depots, and the attendants, who are trained in the management of apparatus, the wheel it to any desired point when the necessity arises.

The German government has purchased the patent rights covering all Europe except Great Britain, Ireland, and France, for an automatic switchboard manufactured in Chicago. The electrical appliance will displace a telephone system of 40,000 instruments.

### A 20-TON TRAVELING ELECTRIC CRANE.

We reproduce herewith a photograph of a 20-ton traveling electric crane, which has been designed, built, and erected by Messrs. George Russell & Co., shipbuilders and engineers of Motherwell, Glasgow, for placing on board vessels the lighter portions of machines, etc. The working load is 20 tons, lifted at a radius of 42 feet 6 inches, and 15 tons at 50 feet radius. The derricking gear varies the radius from 25 to 60 feet. When at 42 feet 6 inches the height of the jib pulley is 62 feet above the wharf. The lifting hook has a vertical range of 84 feet. The carriage is mounted upon eight wheels, with two at each corner, and has compensation balance levers to equally distribute the

weight. The gage is 23 feet center to center. The 20-ton load is lifted at 25 feet per minute, and slewed at 150 feet per minute. The crane travels along the wharf at 60 feet per minute. The electric motors, of which there are three, were supplied by British Thomson-Houston Company. One 48 horse power for hoisting and derricking; one 12 horse power for slewing; and one, also 12 horse power, for propeling the crane along the wharf: all the movements and gearing are independent of each other.

The crane is supplied with power by means of a flexible cable, fed from iunction boxes placed at intervals along the wharf. The cables pass through the center of the post, from which the current is taken to the rotating part. Four slip rings are also provided for transmitting the current to the traveling motor, which, with the others, is controlled from the craneman's house.

### News of Goubet's

Submarine, As M. Goubet, the inventor of the submarine boat which bears his name, has failed to dispose of his craft to the French government, he has sold the two boats already constructed by him, and all of his inventions relating to submarine navigation, to an English syndicate, which is going to establish yards upon the Thames for the construction vessels of this

type. The inventor, together with his son and an expert engineering assistant, have also disposed of their services to the new company.

M. Goubet has devoted several years research to the perfection of his vessel, and has made repeated overtures to the French Admiralty to purchase the invention for utilization in the navy. The first vessel the French government refused because it was not sufficiently large to carry the Whitehead torpedo.

The inventor thereupon set to work upon a second vessel, of such dimensions as to meet all the requirements of the French Naval Department. Before, however, he had completed the "Goubet No. 2," the French government had decided that the sub-

marine vessels to be adopted for their navy were the "Gustave Zédé" and "Gymnote" types. M. Goubet immediately repeated his representations to the French government, but the authorities turned a deaf ear to his requests. At this juncture a syndicate was formed in London to purchase M. Goubet's idea, lock, stock and barrel, and the inventor closed with the offer. The syndicate comprises several naval experts of the English navy, and the price paid to M. Goubet was \$20,000 down, and a third share of the profits.

Already orders have been secured by the new syndicate for the construction of a number of vessels for one leading European nation, and a South American State. The British Admiralty also instructed their ex-

The latest Goubet design carries two Whitehead torpedoes, and has accommodation for a crew of three men. Another recommendation in its favor is its small cost. A Goubet boat can be built for \$30,000, as compared with \$150,000, the price of a Holland boat. It is propelled by electricity, rises and sinks upon an even keel, and can remain submerged for eight hours.

For naval purposes the Goubet boat is intended essentially as an auxiliary to big warships, being carried on board, and in action, dropped over the side by means of a crane or davit. It is also peculiarly adapted from its small dimensions for purposes of coast and harbor defense with great effect, and in

river work for destroying bridges.

Among the most interesting trials to which the "Goubet" has been subjected was a series of experiments at Cherbourg. The submarine maneuvered for two and a half hours under water absolutely unnoticed, during which time it recovered the anchors of a number of buoys, setting them at liberty, cut the moorings of other buoys and boats, blank discharged torpedoes, affixed sham explosives to vessels at anchor and in motion, and then rose to the surface with its crew as little affected by their experience as though they had been above water all the time.

The English company which has acquired the patents are building a new boat of the newest design to be called the "Goubet No. 3," which will be exhibited to the officials of the British and foreign governments.


Following another recent wreck upon the Manacle Rocks off Falmouth in the south of England — where the "Paris" and "Mohegan" were stranded—and petitions from the Falmouth Chamber of Commerce, the British Board of Trade and the Trinity House have arranged to place a gas-lighted buoy at the Manacles, in place of the existing bell buoy. Since the wreck of the "Paris" the local authorities spared no effort to have a lighthouse built upon the spot, but the Trinity

but the Trinity Brethren refuse to accede to any such proposition, claiming that such a lighthouse is unnecessary and would prove confusing, as this part of the Channel is already freely lighted.



A New Cooling Machine.

Prof. Willis L. Moore, Chief of the United States Weather Bureau, has invented a cooling machine which is intended to reduce the temperature of buildings in hot weather. The machine is said to have a capacity for cooling about 20,000 cubic feet of space during the hottest weather. The fact that foreign patents are still to be obtained renders it difficult to obtain full particulars of the invention.



TWENTY-TON ELECTRIC CRANE AT WALLSEND-ON-TYNE.

perts to investigate the claims of the Goubet vessel, and as the report upon the subject is favorable a number of boats are to be ordered for the British navy. One clause of the agreement stipulates that in the event of the French government's deciding upon any Goubet boats, the vessels shall be built in France, and already negotiations have been completed with a French shipbuilding firm for the completion of any such orders emanating from the French Naval Department.

The most salient characteristics of the Goubet boat as compared with other submarine types are its lightness and small dimensions. As a matter of fact it is really portable, for it only weighs 11 tons complete.

### THE ELLIOTT BOOK-TYPEWRITER.

As soon as the ordinary typewriter came into general use and proved indispensable for letter-writing, it was only a question of time when a machine would be built which could be successfully used for typewriting in books. It was not long before a typewriter meeting these requirements was put on the market, and its widespread popularity proves its efficiency. The machine has opened up a new field and does all that can be done by an ordinary machine, as well as work that cannot be accomplished without its means. It will write on books of any size and shape, and is desirable for record books, sale books and the like. Its name, the Elliott Book-Typewriter is, however, misleading, for aside from its value in book work, it will do also, and just as quickly, all the work that the




Fig. 2.—THE "SHIFT" MECHANISM.

dinary typewriter does. Its value in manifolding is particularly worthy of notice. The sheets are laid on a flat platen and the type bars strike downward, giving a firm, heav, blow, producing as many as twenty legible copies. It is equipped also with a tabulating device which automatically locates the column and the decimal point in the column.

A table is provided for use with the machine, which table, while not in any sense essential to the proper working of the typewriter, is nevertheless a great convenience for writing in books. Two spring-platforms are mounted to travel lengthwise along the center of the table, and are adapted to support the open book, bringing it to a proper level. The weight of the book adjusts these platforms automatically, so that if an entry is to be made in the front of the book, for instance, the right-hand platform depresses to a point which levels the thick with the thin portion of the book. Before placing the book on the platforms the machine is raised to a vertical position on hinges at the rear, thus giving access to the table. The platen is now brought down and the page upon which the writing is to be done is brought over onto it. Then the machine is lowered and the platen frame holds the paper securely in place and ready for the writing.

The book-typewriter differs from others in this respect, namely that the paper is stationary and the whole writing mechanism or carriage moves over its

surface, traveling on rollers at the front and rear. The rear rollers are in pairs, oppositely disposed on the carriage guiderod and have concave peripheries adapted to fit the surface. Width of margin is regulated by collarstops on this guide-rod which limit the lateral motion of the carriage. A bell is secured to the right collar-stop, and is rung automatically at the end of every line. The carriage is fed laterally under tension of the band spring by a ratchet escapement mechanism which permits the intermittent rotation of a gear wheel traveling along the rack on the guide rod. This escapement is of course operated by the finger and space keys. The whole escapement mechanism is pivoted to swing upward when the release-lever is operated, thus disengaging the escapement-gear from the rack and permitting free lateral move-

ment of the carriage. As soon as the line is completed the entire machine is fed forward on the platen-frame by pressing together the two levers on the right. The width of space can be regulated by shifting a small thumb-screw just above the rear spacing lever. If desired the front spacing lever may be locked out of engagement with the rack on the platen frame, permitting the machine to be moved rapidly to any desired spacing.

The type bars of this machine are one-third shorter than the standard typewriter and, therefore, permit-

a much shorter key-stroke, and consequently a much higher writing speed. The universal keyboard is used. The type-bars are arranged in a circle and are each provided with a type-head having two types, either of which can be operated by striking a single key. Our second illustration shows the ingenious device by which the capital character situated at D may be brought into the printing position instead of the lower case character situated at C. A disk, A, is situated in the center of the type-bar circle, and when the "Caps" key, at the left of the keyboard, is depressed. this disk is lowered sufficiently to engage the arm, B, on the type-head, thus rotating it and bringing the character at D into the writing position. A flat spring rests against the type-head and holds it securely in either of its two positions. On the return of the type-bar the arm, B, strikes a ring, E, which returns the type-head to its normal position. Means are also provided for locking the spacing disk in its lower position.

The indelible ribbon used in this machine is unaffected by acids or climatic influences and cannot be blurred by a wet cloth. It is wound on two spools, one at each side of the carriage and is fed through a fork which holds down the paper at the writing point. This fork may be operated by depressing a lever back of the keyboard, to raise the ribbon and expose the writing to view.

A very important feature of this machine is the tabulating attachment which permits the operator to jump the carriage from the last character written on a column to the exact place where the writing is to begin in the next column. A scale runs along the back of the machine and its graduations correspond to those of a scale which rests against the paper. An indicator on the upper scale points always to the point which will be occupied by the next letter struck. On this upper scale is a set of tabulator stops which can easily be snapped on or off. These may be located according to the position and number of columns desired, which is quickly done by comparing the two scales. Just above the keyboard are located eight keys which are employed in jumping the carriage from column to column. Now, if; for instance, the number to be written in a column be expressed in five figures, or ten thousands, the fifth key from the left is depressed, which lifts the escapement mechanism out of mesh with the rack and at the same time presents a lever against the next tabulator stop, which halts the carriage five spaces from the right edge of the corresponding column. By this method the operator can speedily and unerringly write his figures in their proper positions so that units will always appear directly below units, tens below tens, etc. The value of this attachment is very apparent to railroads, insurance companies and others whose work largely consists of figures and tabulated work. The machine is built by the Elliott-Hatch Book-Typewriter Company, of 256 Broadway, New York city.

### A New Ocean Record.

By the narrow margin of 0.02 of a knot the hourly speed record for the Atlantic Ocean, held by the Hamburg-American liner "Deutschland," was broken by the





Fig. 1.-THE ELLIOTT-HATCH TYPEWRITER.

"Kronprinz Wilhelm." On this record-breaking trip, the "Kronprinz Wilhelm" covered the distance of 3,095 miles from New York to Plymouth in 5 days 11 hours and 32 minutes, at an average hourly speed of 25.53 knots. Her daily runs were 434, 550, 535, 534, 552 and 490 miles. This is the best eastward record for speed thus far made across the Atlantic.

The torpedo boat "Wilkes" completed her trial trip off Newport, R. I., June 6, and over the measured mile course made a speed of over 26 knots.

### A NEW FORM OF TRUNK.

Now that the summer season is at hand, and our visions of mountain and ocean scenery or a quiet vacation in the country are about to be realized, it is time for us to come down to the irksome details of preparation for the trip. The packing of a trunk is always a nuisance, and unless one does the work systematically, considerable annoyance will be experienced. Articles not desired on the trip must be packed at the bottom of the trunk, and those that will be in immediate demand should occupy convenient places at the top. But even with the most careful planning one is apt to want in a great hurry some article packed at the bottom of the trunk, and before long confusion and disorder prevail, resulting in rumpled and



COMBINATION BUREAU AND TRUNK.

wrinkled clothing. Those who have experienced these troubles will take a great interest in the trunk here illustrated, which is the invention of Mr. Braine Walsh, of Lansingburg, N. Y. This trunk is essentially a chest of drawers so constructed and braced as to withstand the wear and tear of transportation. It will be seen at a glance that this arrangement facilitates packing and unpacking, and furthermore provides easy access to the contents. A person does not need to disarrange everything in his trunk while making a hasty search for some small article; for, since his outfit is packed in drawers of comparatively shallow depth, a cursory glance, or at most a short search, would reveal the desired article. Another great advantage of this trunk is that its contents will not be marred in packing. Ordinarily the bottom layer of goods must bear the weight of all the rest of the outfit, which results in crushing and creasing of delicate dresses, hats, and the like. The lids shown in the illustration serve to prevent a tightly-packed drawer from sticking when opening or shutting, and also provide an efficient protection against the dirt and dust. Three locks are provided for the cover and for each drawer, while strong metal battens brace the trunk against all rough usage. Between the back of each drawer and the rear wall of the trunk are rubber buffers, which will take any shock or pressure on the

drawer front. Recesses beneath and back of the front battens form handholds for easy manipulation of the drawers. The entire construction, it will be seen, eliminates all the disadvantages of the ordinary trunk and furthermore, embraces new features which should prove indispensable to the traveler.

### Roman Remains of Great Value Unearthed.

During the course of some excavations on a mound in the neighborhood of Greenwich Observatory, London, some Roman remains of great value and interest have been unearthed. About two feet below the surface the floor of a Roman room with a great portion of the tesselated pavement intact was revealed. Under careful treatment the beautiful work in cubes of red tile was disclosed, and the space has now been railed off, in

order that the public may view the remains. A fine collection of coins of the period of Hadrian and Constantine was also discovered, together with several pieces of beautifully figured pottery and ornamental wall plaster. The coins were in a state of remarkable preservation, the figures and inscriptions being in some instances almost as clear and distinct as those at present in use. The discoveries are regarded as important, for the reason that they prove that the Roman road from London to Dover led through what is now Greenwich Park.

### RECENTLY PATENTED INVENTIONS. Agricultural Implements.

HAY-RACK.—H. P. VOGLER, Waterville, Kans. The hay-rack is so constructed that the front wheels of the wagon on which it is placed may be turned short without danger of cutting the rack. The rack is further constructed so that it will not upset as readily as the ordinary rack, for it has a firm bear ing upon the running gear of the vehicle.

### Engineering Improvements.

HYDROCARBON-OIL ENGINE. — D. BRIGGS, Evart, Mich. The object of this invention is to provide an engine of simple construction in which the heat of the cylinder is utilized to vaporize the fuel and to heat the mixing air. The hydrocarbon oil is conducted around the cylinder in a spiral tube Before it reaches the air-mixing chamber it becomes highly heated. After being mixed with air it is exploded by a suitable igniter placed in the cylinder near the top.

SPRAY-PUMP FOR EXPLOSIVE-ENGINES. —J. T. Metcalfe, Quincy, Pa. The invention relates to explosive engines in which successive charges of liquid hydrocarbon are first vaporized and mixed with air and then caused to explode. The particular objects of this invention are to make a suitable pump and appropriate connections for use in mechanism of this kind and also to cushion the rebound of the valve used to prevent the retrogression of gases upon the cylinder after each explosion.

FEEDER.—G. M. HILGER, Chicago, Ill. This feeder is adapted for use on boilers, open feed water heaters and the like, and is arranged to feed the liquid compound drop by drop into the feed water to prevent the formation of scales in the boiler.

PUMP.-O. J. BRACKNEY, Butler, Pa. This pump is of simple construction, having no projections such as collars and the like on its outer side, so that it may be readily inserted in a well, or withdrawn therefrom. vention provides a simple means for fastening the inlet valve in place, whereby it may easily removed or inserted without the use of a pipe wrench or similar tool.

EXHAUST MECHANISM.—T. D. KLINE, Savannah, Ga. The invention is an improve-ment in exhaust mechanism for use on locomotives. It consists of the main exhaust flue and an auxiliary exhaust flue opening in its lower end at one side of the main flue and gradually enlarging circumferentially around this main flue above its lower inlet end. Means are provided for controlling the auxiliary flue so that by opening the flue the ex-haust is relieved of considerable back pressure.

TIRE-HEATER .-- H. J. HENGEVELD, Savannah, Ga., and A. E. ADAMS, High Springs, The tire-heater is adapted for use in heat ing tires of locomotives, to permit their removal when worn without requiring the removal of the wheel. In construction the tire heater forms a burner ring which encircles the tire and secures a rapid heating thereof.

### Machines and Mechanical Devices.

VOTING-MACHINE.-G. W. LAPRADE, Sago, Va. By this invention, Mr. Laprade provides means whereby the voter may print the names of the different candidates he wishes to vote for on the ballot sheet, which is arranged in the form of a strip wide enough to contain in one line the names of all the candidates to be voted for in the election. Means under the control of the judges of the election are provided for advancing the ballot sheet, which means are also arranged to operate the inking brush and further to operate a register, that the number of voters that cast their ballots can be determined at any time.

MARKING-MACHINE.—R. N. MOODY, Aberdeen, Wash. This machine is especially useful as a device for marking linen and laundry goods. It comprises one or more type wheels, which may be set at any combination desired, and certain devices for inking the type and impressing the characters on the articles to be marked.

DRIVING DEVICE FOR SHAFTS.—J. shafts having lengthwise vertical movement. low any desired pressure to be exerted lengthwise of the shaft without interfering with the action of the driving device.

### Miscellaneous Inventions.

GRATE.-T. H. LUCAS, Minneapolis, Minn. Difficulty has been experienced in burning fine and crumbling fuel, such as peat, sawdust, pea coal and the like, from the fact that the fine particles fall unconsumed through the grate whenever an attempt is made to remove the ashes, thus wasting a large quantity of fuel. The purpose of this invention is to provide a grate capable of retaining all fuel until consumed to ashes and then to remove the ashes without interfering with the unconsumed fuel.

roy, Canada. The body portion of the stopper | Norz.-Copies of any of these patents will be is recessed at its lower end and receives a furnished by Munn & Co. for ten cents each. able attachments, thereby expanding the lower the invention, and date of this paper.

end of the body so that it will fit tightly in the

PROTECTIVE TUMBLING-HOOD SHIPS' HATCHES. - J. BERGESEN, New York, N. Y. The hood is conical in shape and mounted at its apex by a ball and socket joint. Because of this fastening the hood under pressure of the wind will tumble in the direction of the wind, so that that portion of the hatch facing the direction of the wind is closed by the hood, while the rest of the hatch is open to permit ventilation. Means are provided for lowering the hood and effectually sealing the hatch whenever desired.

FISHING DEVICE .- J. SEILER, South Nor walk, Conn. The invention relates to a peculiar gang-hook fishing device adapted either for bottom or surface fishing. The hooks project radially from a body portion, and the line is connected to a shank pivoted on the central part of the body portion. When a fish takes the bait the line is drawn up sharply and the hook which engages the fish is allowed to stand still relatively to the other part of the apparatus, the body portion then tilting relatively to the shank of the device. This enables the hook effectively to engage and impale the fish.

CALENDAR.—M. LICHTER, New York, N. Y. The calendar consists of a plate having pairs of slots through which strips of flexible material with the proper letters and numbers thereon are passed. These strips are treated to curl or roll up, so that when unrolled the ends are passed through the slots and immediately curl or roll up on the back of the plate, drawing the front portion of the sheets taut. The curled-up ends not only form means for drawing the displayed portion of the sheets in taut condition, but also form handles for the operator to conveniently take hold of when adjusting the strips.

PAPER-FASTENER .- H. TRENCHARD, JR. Brooklyn, N. Y. The fastener comprises an eyelet adapted to be engaged through the back of an envelope and fingers extending from opposite sides of the eyelet adapted to be passed through the flap of the envelope and turned outward and downward thereon. The material outward and downward thereon. between the openings in the flap forms a cover for the eyelet.

FLAT BRUSH .- W. H. HUMPHREY, New York, N. Y. The invention relates to brushes used by painters, varnishers, and other mechanics, and provides an improvement in flat brushes whereby the bristles are resiliently supported at the front and rear faces of the brush to insure proper flexing of the bristles when the brush is in use and at the same time allowing free flow of the paint, varnish or other material.

ROLL.-J. P. LANGE, Passaic, N. J. The device comprises a number of semi-circular sections placed together, edge to edge, so as to form wheel members. Endless bands of resilient material encircle these wheel members in such manner as to hold them together and also to hold together the oppositely disposed semi-circular sections in each wheel member. Longitudinal rods run entirely through the roll and short bolts secure to gether the semi-circular sections of each of the wheel members.

NOTE-BOOK .- A. L. HOLTON, Norfolk, Va. The invention is an improvement in tablets in the form of note-books, and especially in books of such character designed for use by stenographers in taking notes. The base-plate of the note-book can be conveniently removed from the baseboard and turned end for end, this being especially desirable when the stenographer has written through the book on one side of the sheets and desires to readjust the book to the baseboard so as to write upon the other side of the sheets.

AIR-HEATER.—A. H. LOVEJOY, Gallia, N. This improved air-heater is arranged to utilize the fuel to the fullest advantage and to heat the air and conduct the same in a perfectly pure state into the rooms to be heated. The arrangement is such that each conduit extends from the air-inlet duct through the heater to an individual room without danger of the air being fouled with obnoxious gases and dust.

SAIL FOR MARINE VESSELS.—R. LUND QUIST, Laguna, de Terminos, Mexico. The HOLTHAUS, Hillen, Germany. The driving device is more especially designed for revoluble that when a boom and gaff sail is hauled on the wind, the part of the sail nearest the The invention is arranged to prevent or reduce undesirable friction to a minimum and to alare the only parts which actually exercise a propelling effect on the vessel. The other parts merely lie across the course of the wind and tend to heel or tilt the vessel. In this invention provision is made for slacking away a portion of the sail thus avoiding this tilting

GRANULATING ATTACHMENT FOR SALT-SHAKERS .- J. A. MOLLER, JR., New York, N. Y. This invention provides an agitator made of spring wire adapted to be attached to the inside surface of a cap for a salt-shaker. The agitator is so constructed as to extend within the body of the shaker and serves to hold the cap in place without resorting to a thread. Furthermore, its construction is such that upon the slightest turn of the cap forward or backward it will break up or granulate BOTTLE-STOPPER.—JOHN HEARD, Strath- the salt which may have become clogged.

conical plug which is drawn upward by suit- Please state the name of the patentee, title of

### Business and Personal Wants. INDEX OF INVENTIONS

READ THIS COLUMN CAREFULLY.—You will find inquiries for certain classes of articles numbered in consecutive order. If you manufacture these goods write us at once and we will send you the name and address of the party desiring the information. In every case it is necessary to give the number of the inquiry. MUNN & CO.

Marine Iron Works. Chicago. Catalogue free. Inquiry No. 2754.—For makers of bag-sawing

AUTOS.-Duryea Power Co., Reading, Pa.

Inquiry No. 2755. For manufacturers of water ending slot machines.

"U.S." Metal Polish. Indianapolis. Samples free Inquiry No. 2756.—For parties to manufacture a auttonhole cutter.

WATER WHEELS. Alcott & Co., Mt. Holly, N. J. Inquiry No. 2757.—For makers of diving suits and abmarine apparatus.

Handle & Spoke Mchy. Ober Mfg. Co., 10 Bell St., Chagrin Falls, O.

Inquiry No. 2758.—For makers of copper, brass or steel lightning rods. Sawmill machinery and outfits manufactured by the

Lane Mfg. Co., Box 13, Montpelier, Vt. Inquiry No. 2759.—For makers of the Little Giant wood planer, or a combination planer and jointer. Sheet, bar, rod or wire, cut, formed, any shape. Metal Stamping Company, Niagara Falls, N. Y

Inquiry No. 2760.—For manufacturers of spring motors.

We design and build special and automatic machinery or all purposes. The Amstutz-Osborn Company, Cleveund, Ohio.

Inquiry No. 2761.—For dealers in automatic machinery for cutting small brass wheels, such as are used in clocks.

Special and Automatic Machines built to drawings on contract. The Garvin Machine Co., 149 Varick, cor. Spring Streets., N. Y.

Inquiry No. 2762.—For manufacturers of combination engine and boiler 4 or 5 h. p., the "Porcupine" preferred.

Manufacturers of patent articles, dies, stamping tools, light machinery. Quadriga Manufacturing Company, 18 South Canal Street, Chicago.

Inquiry No. 2763.—For dealers in essential oils,

Vegetable and fruit-canning machinery wanted. Manufacturers please address with full particulars F. S. Wertz, 319 Franklin St., Reading, Pa.

Inquiry No. 2764.—For makers of match-making nachinery.

The celebrated "Hornsby-Akroyd" Patent Safety Oil Engine is built by the De La Vergne Refrigerating Machine Company. Foot of East 138th Street, New York.

Inquiry No. 2765.—For dealers in the "Finger Cork Screw," which folds up into a shell-shaped wood handle, or something similar.

IDEAS DEVELOPED.-Designing, draughting machine ork for inventors and others. Charles E. Hadley, 584 Hudson Street, New York.

Inquiry No. 2766.—For a machine for tacking or motting comfortables or quilts.

Young man, of exceptional mechanical ability, with capital, desires partnership in established manufactur-ing business. Address "Capital," Box 773, New York.

Inquiry No. 2767.—For makers of machines for rolling and gluing tubes for fire works, such as cannon crackers, Röman candles, etc. Patents developed and manufactured, dies, special

ools, metal stamping and screw machine work. Metal Novelty Works Co., 43-47 S. Canal St., Chicago.

Inquiry No. 2768.—For makers of bobbin turning machinery.

Press work done at short notice. Blanking and drawing our specialty. Estimates cheerfully furnished. Tools for all work made on premises if desired. Copper, brass and nickel plating. Correspondence solicited.
Acme Ball-Bearing Caster Co., Chappaqua, N. Y.

Inquiry No. 2769.—For parties to manufacture a bolt of special design.

FOR SALE .- "McMechan's Lightning Rotary Bath Brush," just invented. Can take a full bath, except arms and face, from 3 to 5 minutes. Can bathe back with perfect ease. Price for United States ten thousand dollars and royalty. For information enclose stamp. Wm. A. McMechan, St. Clairsville, Ohio.

Inquiry No. 2770.—For dealers in second-hand or ew horizontal boring mills for boring out dynamo

Send for new and complete catalogue o and other Books for sale by Munn & Co., 361 Broadway, New York. Free on application.

Inquiry No. 2771.—For dealers in the "Domestic Still."

Inquiry No. 2772.—For dealers in stationary steam boilers fed by kerosene or coal oil instead of

Inquiry No. 2773.—For makers of brass bushings with graphite pressed therein taking the place of oil as lubricant.

Inquiry No. 2774.—For the manufacturers of the Portable Ice Machine" formerly made by the Lewis

Inquiry No. 2775.—For dealers in telegraph and telephone supplies, also static machines.

Inquiry No. 2776.—For manufacturers of small east iron specialties, such as toy engines, etc.

Inquity No. 2777.—For the address of a ship-building or ship windlass company in Canada. Inquiry No. 2778.—For a partner to help build and patent an improved flying machine.

Inquiry No. 2779.—For dealers in celluloid novel-

Inquiry No. 2780.-For manufacturers of auto-

Inquiry No. 2781.—For makers of horizontal wind mills.

Inquiry No. 2782.—For wholesale dealers in old on metal and rubber.

Inquiry No. 2783.—For makers of brass finger

Inquiry No. 2784.—For manufacturers of hygrometers.

Inquiry No. 2785.—For dealers in materials for covering shingles to prevent leaking. Inquiry No. 2786.—For manufacturers of turbine sater wheels.

Inquiry No. 2787.—For machinery for packing reserved provisions.

Inquiry No. 2788.—For dealers in armature toothed punchings. Inquiry No. 2789.—For complete commutators or egments for small machines.

For which Letters Patent of the United States were Issued for the Week Ending

AND EACH BEARING THAT DATL.

[See note at end of list about copies of these patents.

	Lose note at end of fist about copies of these	patents.
3	Acids, making phthalic and benzoic, A.	700 171
	Bischler Adding machine, E. Fitch Air brake, D. Beemer. Air brake, automatic, G. T. Woods. Air ship, H. B. Van Voorhis. Air superheater or carbureter, H. M. McCall	702,171 702,052 701,988
r	Air brake, automatic, G. T. Woods	701,988 701,981 702,120
	Air ship, H. B. Van Voorhis	
A.	Album, loose lest. R. E. Oberteuffer	702,374 702,027
	Alpha-ionone, making, Chuit & Bachofen	702,126 702,179
	Antimony, treatment of ores and materials	702,153
i	Arch, support, brick, H. B. Strake	701,960
,	Axle lubricating attachment, car, G. W.	702,101
	Band cutter and feeder, P. Swenson	701,855 702,164
8	Bathing tub, H. Schulze	702,164 702,356 702,380
e	Alpha-ionone, making, Chuit & Bachofen.  Amalgamating apparatus, M. Bloume.  Antimony, treatment of ores and materials containing, J. P. Van der Ploeg.  Arch, support, brick, H. B. Strake.  Axle, E. Klein  Axle lubricating attachment, car, G. W. Decker  Band cutter and feeder, P. Swenson.  Bar bell, A. Calvert.  Bathing tub, H. Schulze.  Battery grids, saw for making secondary, W. Morrison  Battery plates during forming, means of preventing the distortion of secondary, W. Morrison  Bean sorting machine feeding device, A. T.	701,916
	Battery plates during forming, means of preventing the distortion of secondary.	,
e	W. Morrison Bean sorting machine feeding device, A. T.	701,918
١.	Ferrell	701,864 701,923
~	Bed rail, E. G. Lundquist	701,923 702,370
g	Beef holder, H. Widdowson	702,102
y	Bicycle, A. B. Titus	702,102 701,976 702,273 701,967
-	Bicycle fan attachment, P. E. Hannum Bicycle package carrier, T. H. Edmonds	702,292
	Binder, temporary, J. H. Parkes Binocular glasses, G. Fecker	701,928 701,863
е	Board. See Ironing board. Boiler, J. F. Rose	701.939
n ·	Bolt lock, H. A. Stockman702,254, Book, deposit credit, C. T. Inman	702,255 702,007
•	Bed rall, E. G. Lundquist.  Bed rall, E. G. Lundquist.  Bed stead connecting joint, J. R. Konetsky.  Beef holder, H. Widdowson.  Belt apparatus, conveyer, A. M. Acklin.  Bicycle, A. B. Titus.  Bicycle fan attachment, P. E. Hannum.  Bicycle package carrier, T. H. Edmonds.  Bindelar glasses, G. Fecker.  Bindelar glasses, G. Fecker.  Board. See Ironing board.  Boiler, J. F. Rose.  Bolt lock, H. A. Stockman.  702,254,  Book, deposit credit, C. T. Inman.  Book section having wide and narrow leaves,  A. O. & E. R. Kittredge.  Book support, J. H. Leuba.  Bottle for aerated liquids, D. Tognarini.  Bottle non-refillable, U. S. Alz.  Bottle, non-refillable, G. Ferguson.  Bottle washing machine, F. X. Spitznagel.  Bottle washing machine, J. Kayser,  702,010,  Bottles, cans, etc., top for tooth powder,	
-	Book support, J. H. Leuba Bottle for aerated liquids, D. Tognarini	702,012 702,307 701,968
,	Bottle, non-refillable, U. S. Alz	701,987 702,000
g	Bottle washing machine, F. X. Spitznagel	701,956
•	Pottles and ota ton for tooth powder	<b>702,06</b> 3
١.	H. B. Kent	701,893
	Bowling alley score board, Paupa & Hoch-	702,061
	Box blank mitering and cornering Lachine,	702,072
	Bottles, cans, etc., top for tooth H. B. Kent. Bowling alley foot dampener, S. L. Holden. Bowling alley score board, Paupa & Hochriem Box blank mitering and cornering Lachine, E. H. Taylor Brake apparatus, fluid pressure, N. J. Benton Brake machanism, Van Cott & Keiley. Braking force, apparatus for applying and controlling, H. H. Westinghouse. Brick for storage bin construction, S. H. Tromanhauser Brine, vacuum apparatus for boiling, G. N. Vis	701,963
g	Brake machanism, Van Cott & Keiley	702,124 702,384
ı	Braking force, apparatus for applying and controlling, H. H. Westinghouse	702,268
-	Brick for storage bin construction, S. H.	702,119
r	Brine, vacuum apparatus for boiling, G. N. Vis	702,264
Í	Brooder, J. L. Macy	702 310
е	Brush, fish, M. C. Isaacs	701,829 702,136 702,286 702,082
4	Buckle, D. E. White	702,286
r	Bustle and hip form, combined, C. H.	102,238
	Brine, vacuum apparatus for boiling, G. N. Vis Brooder, J. L. Macy Brush, S. E. Babcock. Brush, fish, M. C. Isaacs Brush, fountain marking, J. A. Crandall. Buckle, D. E. White Bunsen burner, C. W. Taylor Bustle and hip form, combined, C. H. Scott Butter cutting machine, C. Glaus Button cleaning shield, S. H. Bascom Cable terminal, E. Gonzenbach. Caisson air lock, W. McIlvrid. Cake pan, B. Haffner Camera, photographic, J. E. Thornton,	702,158 701,874 702,278
h	Cable terminal, E. Gonzenbach	701.875
•	Caisson air lock, W. McIlvrid Cake pan, B. Haffner	702,324 702,203
r	709 960	
n	702,260, Camera, photographic, A. D. Davis	702,358
1	Can heading machine, F. M. Leavitt	702,358 702,018 702,138 702,228
1	cun opener, w. c. Mejneme	. 02,220
e,	Cans, machine for manuracturing soldered, H. B. Williams Cane car unloading machine, H. Froehlich Cap machine, hemmed, L. A. Norton Car bolster, S. P. Bush Car bolster, railway, G. C. Murray Car counling J. A. Chubb	702,167 702,096 702,376
	Car bolster, S. P. Bush	701,837
i.	Car coupling, J. A. Chubb.  Car coupling, J. C. Nelson.  Car draft beam, J. K. Evans.  Car door fastening, mining, J. H. Watt.  Car fender, E. A. Sample.  Car tool box, hand, L. Larson.  Car ventilator, P. B. Hole.	701,920 702,186
-	Car draft beam, J. K. Evans	702,239 702,189 702,265 701,945 701,900
•	Car door fastening, mining, J. H. Watt	702,265 701,945
a.	Car tool box, hand, L. Larson	101,000
h	Carbanata, Programme 6 Occur	701,890 702,378
t	Card, playing, K. Frederickson. Carpet fabric, ingrain, J. O. McGorman. Carpet stretcher, F. L. Kidd. Cartridge, W. E. Hayner. Cartridge loading machine, metallic, G. M. Pefers	702,378 702,298 702,323 702,222
k -	Carpet stretcher, F. L. Kidd   Cartridge, W. E. Hayner	702,222 702,208
е	Cartridge loading machine, metallic, G. M. Peters	702,151
_	Carving machine, E. R. Lochman	702,151 701,903
o	Cash register, R. P. Thompson (reissue)	$12,000 \\ 702,194$
c	Peters Carving machine, E. R. Lochman. Case. See Measuring case. Cash register, R. P. Thompson (reissue). Casting apparatus, H. H. Franklin. Cement, making, F. G. Jordan. Chair, A. J. Morley. Cheese cutter, E. Niggli Chemicals in electric furnaces, producing, E. R. Taylor.	702,009 702,234 701,924
,	Cheese cutter, E. Niggli	701,924
_	Chook P A Bookhoon	702,117 702,180
c	Cigar, exhibiting and vending apparatus,	
f	Cigar, exhibiting and vending apparatus, coin-controlled, D. M. Winans	701,978 702,182
	mer	702,206
8	Cigarette machine, J. C. Hansen-Ellehammer  Cigarette machine, H. C. Heckendorn  Circuit interrupter, automatic, D. M. Moore Clay, working, R. H. Staley  Clock, electric, F. Frick  Clothes drying apparatus, J. Williams  Clutch, friction, H. Smith.  Coffee pot, C. E. Ziegler  Coffee pot, C. E. Ziegler  Coin controlled machine, W. W. Rosenfield.  Coin holder or bank, pocket, E. E. English.  Collar blanks, etc., machine for folding, M.  J. Locke  Collar blocking machine, horse, J. M.  Hjermstad  Combing wool, etc., machine for, I. Hey.  Commutator segment, W. H. Windle	702,318
	Clock, electric, F. Frick	702,299
8	Clutch, friction, H. Smith	701,953
d	Coin controlled machine, W. W. Rosenfield.	701,940
	Collar blanks, etc., machine for folding, M.	701.00
1	Collar blocking machine, horse, J. M.	701,904
-	Combing machine comb, I. Hey	702,302
1	Combing wool, etc., machine for, I. Hey Commutator segment, W. H. Windle	702,301 702,272
	Compass, binnacle, J. Paoli	701,927 702,140 702,201
-	Combing wool, etc., machine for, I. Hey Commutator segment, W. H. Windle Compass, binnacle, J. Paoli Composition of matter, G. L. de Lencheres. Compress and packer, Griffin & Anderson. Concrete conductor, W. W. Montgomery Conveyer, G. A. Bronder Conveyer, M. C. Schwab	702,372
۰,	Conveyer, G. A. Bronder	701,835 702,115
đ	Conveyer end support, spiral, J. C. Van Arsdell	701,969
	Conveyer feeding mechanism. Dodge &	702,347
1	Shaw Coping machine, J. T. Zika. Copper water, precipitate for treatment of, A. J. Polmeteer.	702,044
r		702,244 702,001
		702,001 702,344 702,165
-		
r	Allison Crate, folding, C. R. McCullough	702,170
е	Crate, knockdown, B. K. Boyd Cultivator, M. Shew	701,834 701,950
,	Cultivator, T. S. Warner	701,972 701,844
•	Corns. etc., device for removing, J. F. Allison Crate, folding, C. R. McCullough. Crate, knockdown, B. K. Boyd. Cultivator, M. Shew. Cultivator, T. S. Warner. Cultivator weeder attachment, E. P. Clapp Curd cutter, J. Lemire Curtain support, adjustable window, C. P. H. Cook Cushion making machine, G. Buckman Cut out, automatic, C. P. Steinmetz.	702,105
е	H. Cook	702,285 $702,340$
r	Cut out, automatic, C. P. Steinmetz	701,958
	(Continued on page 438)	

438	Scientific
Cycles, clamp particularly adapted for securing fittings to the frames of, P. B. II. Seabrook	WOOD or METAL
Cycles, motor cars, etc., brake mechanism for, G. E. Bennett	Workers Without Steam Power should use our Foot and Hand Power
for, D. A. Baker	Machinery. Send for Catalogues  A-Wood-working Machinery,  B-Lathes, etc.
Derrick, portable, A. Lutz	SENECA FALLS MFG. CO. 695 Water St., Seneca Falls, N.Y.
Detonating composition, H. von Dahmen 702,357 Dipping tank, G. M. Henderson 702,135 Disinfecting apparatus, C. J. Walz 702,041 Dispensing apparatus drip attachment, G.	NGINER FOOT MACHINE SHOP OUTFITS TOOLS & SUPPLIES
W. Boyd	LAIILD SEBASTIAN LATHE CO CINCINNATI
Door, folding, E. H. McCloud	Foot and Power and Turret Lathes, Plant SHEPARD LATHE CO 133 W. 2d St., Cincinnati,
Seaver	TOOL for Steam Gas, and Wat
709 949	Fitters. Ever Tool has o personal gua
Dust collecting and settling apparatus, C.   II. Larson   701,898   Dust collector, J. E. Mitchell   702,312   Dust guard, P. Martin   701,908	antee. We ha been the Lea ing Tool Manufacturers for Fifty Years.
Dye and making same, black sulfur, Levin- stein & Mensching	WALWORTH MFG. CO., 128 to 136 Federal St., Boston, Mas
Dye and making same, black sultur, Levinstein & Mensching 702,369 Dyeing apparatus, yarn, J. C. Hamer. 702,002 Eawes trough miter joint, T. Rye 702,156 Educational device, F. W. Davenport. 701,937 Electric light hanger, L. Poole 701,936 Electric meter, E. Thomson. 701,965 Electric motor, H. Rowntree 702,155 Electric motors automatic controller for	WORK SHOPS of Wood and Metal Workers, with-
Electric motors, automatic controller for, N. A. Christensen	out steam power, equipped with BARNES' FOOT POWER MACHINERY
Electric tube lighting, D. M. Moore, 702,321 Electrical controlling apparatus, R. F. 702,321	allow lower bids on jobs, and give greater profit on the work. Machines sent on trial if desired. Catalog Free,
Electricity meter, E. G. Holm	W. F. & JOHN BARNES CO. Established 1872.  1999 RUBY ST., ROCKFORD, ILL.
Morrison   701,915	PERFECT - PUMP - POWEF  is attained on y in it TABER ROTARY PUM
	They are mechanic simple and durable. W
Fredericks 702,053 End gate, wagon, N. Hon. 701,884 Englines, regulation of speed and power, E. Thomson 702,038	thin or thick. Requino skilled mechanic. Maker Pump cobuffalony. I have a least cost. All painterchangeable. Made
Envelop D H Keller 702 100	driven by helt motor or
Extractor See Cork extractor. 702,199 Eyelet, I. W. Gles. 702,199 Fabric cutting machine, H. A. Meyer 701,910 Fan motor attachment, W. S. Moody 701,914 Fastener, expansion, E. J. McCormick 702,067 Fastening device, C. D. Hancock 702,056 Funct filter Ryan & McEwan 701,948	PALMER
Fence post, J. A. Mitchell	MARINE and STATIONARY
lose, etc., and for twisting and putting into coil form such or other fibers or filaments, apparatus for the production of textile. C. F. Topham	MOTORS 2 and 4 CYCLE
niaments, apparatus for the production of textile, C. F. Topham	are no experiment, as they are in successful operation in all parts of the world.  Launches in stock.
Fire starter or gas heater, Draper & Lyon 702,049 Fish drying apparatus, A. Morris 702,235 Flies from cattle and trapping same, device	PALMER BROS., Cos Cob, Conn.
for brushing, O. B. Gibson	"WOLVERINE" Gas and Gasoline Engin
Folding machine, L. E. Barnes	STATIONARY and MARINE. The "Wolverine" is the only reversi MarineGas Engineon the mark
Figure 1 Mayor 709 999	power. Requires no licensed
Furniture, combination, 3. Moran.  Furniture door slide or guide, F. L. Foster 702,348  Game table, P. W. Cameron. 702,088  Garment supporter, P. Douglas. 701,998  Gas apparatus, acetylene, A. W. Edwards 702,098  Gas engine, F. L. Nichols. 702,375  Gas furnous estem boller F. J. Duff. 701,375	WOLVERINE MOTOR WORK 12 Huron Street, Grand Rapids, Mic
Gas eigine, F. L. Nichols.       702,375         Gas furnace, steam boiler, E. J. Duff.       701,861         Gas generator, acetylene, A. Davis.       701,852         Gas lighting device, G. Meier.       702,311         Gas lighting or extinguishing device, V. 702,002	
Gas lighting or extinguishing device, V. Forti Gas line safety device, J. C. Furman. 702,195 Gas, purifying acetylene, J. A. Burgess. 701,995	Improved,
Gas regulator, S. L. McAdams. 702,236 Gate, G. B. Johnson. 702,366 Gate, C. B. Johnson. 702,366 Gearing, variable speed, F. W. Gordon. 701,876 General State of the State of t	Chucks, Scroll
E. Hilliard	Westcott Chuck Co., Oneida, N. Y., U. S.
Glass by electrical heating, manufacture of, A. Voelker. 702,081 Glass cutter, W. L. Barrett. 702,013 to 702,017 Glass, drawing, J. H. Lubbers. 702,013 to 702,017 Heaves Lowefeature for H. H. Work 709,285	FOR LIGHT AND MEDIUM WO
Glazing machine, automatic, B. C. Hem-	R F RAPNES
Gran binder, J. L. Ware	Upright Drill is the best tool ma Substantial, well built, up to date. driving power is strong and positive—
A. T. Ferrell 701,865 Grain drier, J. P. Churchill 702,127 Grain drill seed tube, J. W. Poindexter 702,114 Grain elevator for separators, S. B. Hart 702,058 Grain separating machine, W. L. Belt 702,279 Grate, tilting water, H. D. Sawyer 701,946 Gravity lock D. J. Konnedy 701,862	five-step cone gives wide range of speed will drill from 1/16-inch to %-inch. Reing matter on request.  R. F. RARDES COMPANY Rockford.
Grain sevator for separators, S. B. Hart. 702,038 Grain separating machine, W. L. Belt 702,279 Grate, tilting water, H. D. Sawyer 701,946 Gravity lock, D. J. Kennedy 701,892	Gas Engine
Gravity lock, D. J. Kennedy. 101,892 Gravity motor, W. O. Benner. 702,086 Gun, automatic, A. Noble. 702,286 Gun cleaning tool, A. H. Durston. 702,359 Gun tower, armored, R. Geelhaar. 701,870 Hail, preventing device, D. Maggiora et al. 701,907 Hand wheel, E. H. Seddon. 702,381	IGNITER IGNITER
Hail, preventing device, D. Maggiora et al. 701,907 Hand wheel, E. H. Seddon	Complete with spark coil, \$12.00. The Best Thing on the market. Latest and most improved model.
Harrow clearing attachment, N. Paulsen 702,071 Harvester, clover, A. D. Miller 701,912 Harvester, husker, and loader, combined corn, J. E. Larson	Latest and most improved model.  **Esend for Circular.  Carlisle & Finch Co., 233 E. Clifton Av., Cincinnation
Heating and metal rolling, system for continuous, T. V. Allis	NEW BINOCULAR
Heel, boot or shoe, J. H. Jackson 702,137	powerful than the largest
Hinge, Hulse & Hoover. 702,304 Hinge joint for connecting rod sections, F. A. E. Hamilton. 702,204 Histhing post, J. A. Taylor. 701,965 Hoisting and conveying machine, S. Jackson 701,887	
Hoop lug, R. B. Moore	NEW YORK: 59 Fifth Ave. PHILADELPHIA,
for, W. Hurrell	MORAN FLEXIBLE JOINT for Steam, Air or Liquids.
Inhaler, E. M. Morgan	Made in all sizes to stand any desired pressure. Moran Flexible Steam Joint Co., Inc'd, 149 3d East St., LOUISVILLE, KY.
Inhaler, E. M. Morgan. 102.03. Inhaler, E. M. Morgan. 702.14. Insulating handle connection, G. Brabrook 702.08. Insulator, V. G. Converse. 701,847, 701,844. Internal combustion engine, C. W. Kelsey 701,89. Internal combustion engine, J. S. Rogers 702,89. Internal combustion engine, J. S. Rogers 702,80. Invalid reclining chair, Amerima & Johannes 701,826.	
Iron or steel removing scale oxid from the	FOR
10	chines of goods, as desired.
man et al     702,30       Kettle, L. Gilleran     702.05       Kneader, dough, M. J. Russell     702.24       Label, G. E. Howard     702,35	9 Cand for Catalogue
102,350	waterbury, col





Labels, machine for inserting and fastening strings in, S. B. Tilly et al. 702,262 (2 lamp burner, S. B. Horss. 702,313, 702,320 (2 lamp, electric tube, D. M. Moore. 702,313, 702,320 (2 lamp, gas, T. Maguire. 702,143 (2 lamp, gas, T. Maguire. 701,959 (2 lamp, gas, T. Maguire. 701,959 (2 lamp, bolder, electric incandescent, E. G. Sheppard 702,297 (2 latch, G. H. Pierce. 702,297 (2 latch, G. H. Pierce. 702,207 (2 latch, G. H. Pierce. 702,207 (2 latch, A. Charles. 702,185 (2 leather stretching machine, J. K. Miller. 702,023 (2 line grip, F. L. Ferre. 702,203 (2 line grip, F. L. Ferre. 702,205 (2 liquid pressure regulator, M. Pink. 702,066 (2 lock, See Bolt lock. Gravity lock. 702,333 (2 locks, extension cylinder for pin, A. Cramond (2 lock) (3 lock) (3 lock) (4 lock) (4 lock) (4 lock) (4 lock) (5 lock) (5 lock) (6 lock) (6 lock) (7 lock) (7 lock) (7 lock) (7 lock) (8 lock) (1 lock)

# THE Dr. Deimel Underwear

Why wear prickly, irritating wool next the skin during warm weather when you can secure real comfort by wearing the cool, cleanly Dr. Deimel Linen Mesh Underwear.



Free Booklet and Samples of the Cloth Sent by Addressing

The Deimel Linen-Mesh Co., 491 Broadway, New York.

SAN FRANCISCO, CAL., 6th floor, Hayward Bidg. WASHINGTON, D. C., MONTREAL, CAN., LONDON, E. C., ENG., 2202 St. Catherine St., 10-12 Bread St.

The Dr. Deimel Dress Shields are the best made. They can be easily washed and are odorless. We guarantee every pair.

### THE EUREKA CLIP

The most useful article ever invented tor the purpose. Indispensable to Lawyers, Editors, Students, Bankers, Insurance Companies and business men generally. Book marker and paper clip. Does not mutilate the paper. Can be used repeatedly. In boxes of 100 for 25c. To be had of all booksellers, stationers and notion dealers, or by mail or receipt of price. Sample card, by mail, free. Manufactured by Consolidated Safety ufactured by Consolidated Safety Pin Co., Box 121, Bloomfield, N. J.



IROQUOIS MACHINE COMPANY Manufacture under patents Improved Universal, Plain, Disc, F GRINDING MACHINES 150 Nassau Street, NEW YORK U.S. A.

### ACETYLENE LIGHTING

Reduced to the Most Efficient,
Safest, Simple and Economical Use.
We guarantee our machines perfectly
automatic in action, to extract all the
gas from the carbide, and absolutely no
overproduction or loss of gas. Approved by the various Boards of Fire
Underwriters. Standard sizes 10 to 150
lights. Exclusive territory given to
responsible agents. Correspond with
Niagara Falls Acetylene Niagara
Gas Machine Co., Falls, N. Y. & Can.



### Robert Fitzsimmons' System

"His thorough scientific knowledge of anatomy makes him a particularly able in-structor in physical development."

However budly run down or weak you may be, I can make you healthy. By a series of simple, health-giving exercises, specially planned for you by letters, I can build you up and put your body in thorough condition. My method rugs. ve you a good appetite and a digestion

I can give you a good appetite and a digestion to match it. You can enjoy every moment of the day and sleep soundly all night.

The clear, alert brain and power of endurance that I can give you will place you in the lead and bring you success. No more headaches; no more watching the clock for quitting time. I can replace your fat with firm muscle and strengthen your luns. Constitution and other disorders disappear. Age makes no difference. I am 42 years old myself. Physical culture keeps me healthy. Everybody who has used it praises my common-sense system of exercise. I can refer you to such men as

U. S. SENATOR PENROSE

A. J. DREXEL BIDDLE.

A. J. DREXEL BIDDLE TRUXTON HARE (the most celebrated half-back in the country)

THOMAS A. EDISON, Jr. and scores of other prominent people.

Write for my illustrated booklet, which tells you about terms and contains much valuable information regarding the preservation of health. Address

The Robert Fitzsimmons Institute of Physical Culture Bensonhurst, New York Robert Fitzsimmons, Director & Gen'l Mgr

(Continued on page 439)

chines or goods, and the send for Catalogue.
BLAKE & JOHNSON,
WATERBURY, COI

WATERBURY, CONN.

# The World's Playground

Colorado, Michigan, Canada,

The Adirondacks, St. Lawrence River. White Mountains.

or the

Sea Coast of New England

Best reached by the

Write for Rates and Folders.

Warren J. Lynch, W. P. Deppe, Gen'l Pass.&Tkt.Agt. Asst.Gen'l P.&T.A. CINCINNATI, OHIO.



### BURNISHINE -

The most marvelous metal polish in the world.



in the world.

Contains no Acids or anything injurious to the Metal or Hands.
Produces a wonderful brilliant lustre on Brass, Copper, Tin, Zinc, Silver, Nickel and all Metals.

A few rubs and the article is handsomely burnished.
Will not soil the hands or leave deposits in corners or surface of the metal.
Will restore burnt or rusty Nickel on Stoyes to its original lustre.
Put up in cans at prices as follows:
Put up in cans at prices as follows:
If your dealer does not keep it wrtie direct to. C. PAUL & CO.,

39 Dearborn St., Chicago.

FOR MECHANICS.

Send for Free Catalogue No. 16 B. The L. S. Starrett Co., Athol, Mass., U. S. A.



The "Best" Light
Is a portable 100 candle power light, costing only 2 cts. per week. Makes and burns its own gas. Brighter than electricity or acctylene, and cheaper than kerosene. No Dirt. No Gresse. No Jodor. Over 100 styles. Lighted instantly with a match. Every lamp warranted. Agents Wanted Everywhere.

THE "BEST" LIGHT CO. LIGHT CO. 87 E. 5th Street, CANTON, OHIO.

Apple Economical Gas Engine Igniters.

Are positively the best built for Stationary, Automobile and Mar-rine Gas Engines, either touch or jump spark system. We are the leaders in the manufacture of ig-niting Dynamos, Magnetos, Gov-ernors, Colis, Plugs, etc. Write for printed matter. The Dayton Electrical Mfc. Company, No. 80 South St. Clair St., Dayton, Ohio, U. S. A.



Onio, C. S. A.

New York stock carried by Chus, E. Miller, 97 Reade Street, N. Y.;
Philadelphia Office, The Bourse: Chicago Office, 19-21 La Salle Street.
St. Louis stock carried by A. L. Dyke, Limmar Building.



Steady Light with Gasoline
Engines.
16 to 300-light dynamos. The only
dynamos made that give right results. dynamos made .... Write us. The Hobart Electric Mfg. Co., Troy, Ohlo.

UULU UKAWN SEAMLESS IUBING.

SHELBY STEEL TUBE CO.,


Pittsburg, Pa.


Scarch Lights, Electric Gas Lighters,
Automobile Lighters.

Push the "plate" or lever, it lights For all uses where candles, lamps, ctc., are dangerous. \$2 by mail or express prepaid. Extra batteries, \$3 cents.



D L HOLDEN
REAL ESTATE TRUST BLOG PHILA, PA
REGEALED ICE MACHINES





## The Art and Science of Photography

are exemplified by the work of Premo Cameras, instruments incorporating all the importantideas that have attended the development of picture taking. In all classes of work, Premo Cameras excel because of their accurate adjustments and perfect workmanship. In price, they range from \$11.00 to \$250.00, according to size and equipment.

# Cameras

are always the same in quality.

One of the most efficient cameras for every-day use is Pony Premo No. 4, pictured in the upper circle. It possesses in compact form every requisite for the best results with either plates or films. The price is but \$20.00. A camera that will last a life time and always be a source of satisfaction.

Ask your dealer to show you Pony Premo No. 4, or send at once for the new Premo Book. FREE. Dept, W. ROCHESTER OPTICAL CO., Rochester, N. Y.





GOLD COIN GAS RANGES

have been on the market only a year, but we have been making stoves since 1865. We are ready to "show you" that our ranges are right and prices decidedly interesting. Perfect combustion, economical fuel demands, double walls throughout, leg base if desired. Builders will find it worth while to get our quotations at once.

The Chicago Stove Works, (Est. 1865.)
22d Street and Blue Island Avenue, Chicago, III.

### "AMERICA'S

SUMMER

RESORTS"

This is one of the most complete publications of its kind, and will assist those who are wondering where they will go to spend their vacation this summer.

It contains a valuable map, in addition to much interesting information regarding resorts on or reached by the

NEW YORK CENTRAL LINES

A copy will be sent free, postpaid, to any address on receipt of a two-cent stamp, by George H. Daniels, General Passenger Agent. New York Central & Hudson River Railroad, Grand Central Station, New York.

### The Risk of Summer Travel

The greater amount of travel in the number time increases personal risk. We insure you against loss of income resulting from accidents if you take out

An Accident Policy

An Accident Policy
in The Travelers Insurance Company, of Hartford, the oldest, largest and strongest Accident Insurance Company in the world.
These policies guarantee a weekly income while disabled and large amourts for loss of legs, arms, bands, feet or eyes. If death ensues, a stated sum is paid. \$27,000,000 bave been distributed among 377.000 policy bolders or their families for injuries or death.

### A Life Policy

A Life Policy
in the Travelers Insurance Company provides safe insurance at a lower guaranteed net cost than mutual companies, which charge for insurance and give such a share in the profit as the company sees fit. The Travelers charges for insurance only. The net cost of a policy in The Travelers is, therefore, tuaranteed and known beforehand, and the difference is in your pock t first to last.

Agents in every turn or write for interesting hearther.

### The Travelers Insurance Company

Hartford, Conn. (Founded 1863)

Gas & Gasoline Engines Write for particulars
Northern Engineering Works.





WILLIAMS, BROWN & EARLE, t. 6, 918 Chestnut St., Philadelphia.



### Paint or Whitewash the Easy-Economical Way

Why do by hand, that which can be more cheaply, and quickly done by machinery?

Hook's Pneumatic Coating Machine Equals Twenty Men With Brushes


will paint or whitewash in one-tenth the time it takes by hand, with better results as to appearance and durability; cleaner than brush-work; no scaffolds nor ladders required. No one spending \$35.00 for painting or whitewashing can afford not to have this wonderful labor-saving device. Any-one can operate it. Figure out the saving in labor.

"STAY-THERE" PAINT

(Weather-proof and Fire-proof)

A substitute for oil paint at one-fifth the cost. Better and as cheap as whitewash.

Our twenty-four page book tells the tale. We shall ap-




(Continued on page 440)



CREST 3, 5. 7 H. P. MOTORS.

Sparking Pugs and Coils. Sparking Pugs and Coils.
CREST MFG. Co.,



Office of SCIENTIFIC AMERICAN equipped.

SPENCER ELECTRICAL CO., 163 Greenwich St.,

The Buffalo Universal Handy Bench Clamp BUFFALONYUS Indispensable for workshop. Is as estill to a kit of tools as hammer or say E.E. JOSEF NFG. CO. Buffalo, N. Y.

# **DIXON'S**

An all around lubricant for Cylinders, Engine Slides. Chains, Gears. Etc. of Automobiles. It is made of pure vaseline and Dixon's No. 635 Graphite. It is equally useful for general use.

JOSEPH DIXON CRUCIBLE CO. Jersey City, N. J.



VELOCITY OF ICE BOATS.-A COL-PERIOCITY OF TOE BOATS.—A COLI-lection of interesting letters to the editor of the SCIEN-TIFIC AMERICAN on the question of the speed of Ice Boats, demonstrating how and why it is that these craft sail faster than the wind which propels them. Illus-trated with 10 explanatory diagrams. Contained in SCI-ENTIFIC AMERICAN SUPPLEMENT, No. 214. Price 10 cents. To be had at this office and from all newsdealers.



RESTFUL SLEEP

In Camp, on the Yacht and at Home.

"Perfection" Air Mattresses, CUSHIONS and PILLOWS.



Camp Mattress with Pillow attached. Also showing Mattress deflated. Clean and Odorless, will not absorb moisture. Can be packed in small space when not in use. Send for Illustrated Catalogue. MECHANICAL FABRIC CO., PROVIDENCE, R. I.

### DESIGNS

Designs.	
Badge, J. B. Nolin	
Box, paper, R. L. Myers	35,94
Bureau or similar article, M. V. Hammack	35,948
Bureau or similar article of furniture, M.	15.7
V. Hammack	35,947
Calendar, H. Doyle	35,943
Clock case, P. Tietgens	35,940
Cup, S. Linz	35,942
Floor covering, mosaic, E. D. Weary	35,949
Monument, E. M. Wolff	35,950
Name plate, W. D. Hamilton	35,939
Picture frame, M. V. Hammack	35,935
Scale base, O. O. Ozias	
Sideboard or similar article, M. V. Ham-	190,00
mack	35,940
Stone, cut, E. G. H. Schenck335,937,	
Trimming, G. II. Taylor	
Type, font of printing, E. Everard	35,94
Vehicle body, W. S. Rogers	35,951

### TRADE MARKS.

### LABELS.

LABELS.

"Belgian Soap," for soap, W. C. Ballowitz 9,214

"Black Elastic Roof Paint," for roof paint,
Tanner Paint & Oil Co. 9,227

"Blue Bell," for cigars, S. Butler & Co. 9,204

"Buckeye Brand Meats," for meats, Armacost, Riley & Co. 9,204

"Buckeye Brand Meats," for meats, Armacost, Riley & Co. 9,213

"Dowler's Microbe Ointment," for Ointment,
F. K. Dowler. 9,224

"Dr. Daniels' Liniment Powder," for liniment,
A. C. Daniels, Inc. 9,223

"Eskay's Cascaroid," for medicine, Smith,
Klein & French Co. 9,219

"Eskay's Neuro Phosphates," for medicine,
Smith, Klein & French Co. 9,219

"Gerhart's Cleano," for washing compounds,
C. C. Gerhart. 9,215

"Glasbrite," for a cleaning preparation, H.
N. Clarke. 9,216

"Gold Eagle," for grain, Rosenbaum Brothers 9,212

"King Salve Liniment," for liniment, F.
Ray 9,222

"Miraflor," for eigars, Sanchez & Haya Co. 9,207

"Paulet," for insect exterminator, L. G. B.

"Preceless Compound Tabasco Chili Sauce," for chili sauce, J. Navarro & Co. 9,211

"Roumanian Cream Skin-Food," for a tolet cream, L. D. Smith. S. H. J. Dimond 9,205

"Shakespeare," for cigars, Sanchez & Haya

"Shewart's Odorless and Tasteless Castor Oil," for castor oil, Stewart Manufacturing Co. 9,221

"Tacita," for cigars, Sanchez & Haya Co. 9,208

"The American Puzzle Game of Advertisements and Trade Marks," for a game, H.
E. I jams. 9,200

"The Great Four Cable Whalebone," for whips, H. M. Van Deusen 9,203

"The Lincoln," for whips, H. M. Van Deusen 9,202

"Tip Top Bug Killer," for insecticide, Fleischmann Bros. 9,225 

### PRINTS.

York.

Canadian patents may now be obtained by the inventors for any of the inventions named in the foregoing list. For terms and further particulars address Munn & Co., 361 Broadway, New York.

### NEW BOOKS.

CIVIL ENGINEERING AS APPLIED IN CON-STRUCTION. By Leveson Francis Vernon-Harcourt, M.A., M. Inst. C.E. London, New York and Bombay: Longmans, Green & Co. 1902. 8vo. Pp. xv-624.

The name of Vernon-Harcourt is in itself a sufficient guarantee for the trustworthiness and scholarliness of the present book. The range covered is wide. After an introductory part on materials, preliminary works, foundations and roads, Vernon-Harcourt begins a description of railway, bridge and tunnel engineering,

(Continued on page 441)

Gold Outside Siffening Metal Jas. Boss Case is made

The Ias. Boss Stiffened Gold Watch Case is made of two layers of Solid Gold with a layer of Stiffening Metal between welded and rolled together into one solid sheet of metal. The Jas. Boss Case is a Solid Gold Case for all practical purposes.
The Stiffening Metal simply adds
strength and durability. The Boss Case is guaranteed for 25 years by the largest watch case makers in the world, who have been making it for a full half century. Every Boss Case has the Keystone trademark stamped inside. Ask any dealer to show you one. Write us for a booklet telling the whole story.

The Keystone Watch Case Company, Philadelphia.

By this mark 🍞 you know them

Only Hammerless Repeating Rifle in the World.

HIGHEST Development

of SPORTING RIFLES

Constructed to shoot Six Different Cartridges Adapted for GRIZZLY BEARS & RABBITS. .303 and 30-30 Caliber.

Every Rifle thoroughly guaranteed. Write for new illustrated catalogue A.

SAVAGE ARMS CO., Utica, N.Y.,U.S.A.



### Shave comfortably with a

Shumate Dollar Razor The successful man is carefully and regularly shaven. Don't lose time from business waiting in line in a barber shop.

Shave Yourself and Save 188

Hours and \$27.85 in a Year.

Hours and \$27.85 in a Year.

Operation painfuil? Razor peor? You
need a Shumate. "The Razor with a character." In satisfactery use by hundreds of
barlers and home users. None excel it—
no stronger guarantee. Replaced and no questions if you are not
pleased. \$1.00 postpuid anywhere if your dealer han't it. Send
his name and receive free booklet: "The Razor with a Character,"
Contains valuable hints on shaving comfortably. SHUMATE
RAZOR CO., Dept. G. Austin, Tex., U. S. A. St.
Louis office, 2929 Henrietta St. Chicago, 1431 Masonic Temple.

GREY IRON CASTINGS FOR AUTOMOBILE WORK

UTICA STEAM ENGINE AND BOILER WORKS UTICA, N. Y.

### GASOLINE ENCINES

Marine & Stationary from 1-4 to 16 H. P. A thoroughly satisfactory engine at a moderate price.
Write for catalogue.

THE CLIFTON MOTOR WORKS. 23 E. Clifton Ave., Cincinnati, O.



'Benedict Nickel' what you want. Homogeneous; ense; tough. Resists Electrolysis. Send for Booklet.

BENEDICT & BURNHAM MFG. CO., Mills & Main Office, Waterbury, Ct. New York, 253 Broadway. Boston, 172 High Street.

EDISON WIZARD FOUNTAIN PEN and a Box of WIZARD INK ONLY 50 CTS.

Thos. A. Edison, Jr., has invented a fountain pen that is as superior to the ordinary pen as the electric light is superior to the candle. Made on correct scientific principle, with special machinery we are enabled to sell these pens at 50 cts, each, and will present each purchaser a box of Mr. Edison's famous WIZARD INK TABLETS, which by dissolving in water make OKE PINT of the best writing fluid ever produced. Non-corrosive and chemicals cannot eradicate it. This remarkably low price is made to induce everydy to try our lik, knowing where once used no other can take its place. Agents wanted everywhere. Address
The THOS. A. EDISON, Jr. CHEMICAL CO., Dept. L, 31 Stone St., New York, EDISON JR.WIZARD PEN



# SELECT

Suitable for your handwriting from a sample card of 12 leading numbers for correspondence, sent postpaid on receipt of 6 cents in stamps.

SPENCERIAN PEN CO.

349 Broadway, New York.



Manufactory Established 1761.

LEAD PENCILS, COLONED PENCILS, SLATE PENCILS, WRITING SLATES, INKS, STATIONERS' RUBBER GOODS, RULERS, ARTISTS' COLORS.

78 Reade Street, New York, N. Y. GRAND PRIZE, Highest Award, PARIS, 1900.

A printed copy of the specification and drawing of any patent in the foregoing list, or any patent in the foregoing list, or any patent this office for 10 cents, provided the name and number of the patent desired and the date be given. Address Munn & Co., 361 Broadway, New York.

Co., 361 Broadway, New York.



### The MEDART SYSTEM

of supplying Boat Building Ma-terials enables anyone ordinarily handy with tools, to build boats of the highest character at one half the boat factory's price. Freight low. Launches, Sailing Yachts and Row Boats.

FRED MEDART, 3545 DeKalb St., St. Louis, Mo.

Over 70 sizes and styles, for drilling either deep or allow wells in any kind of soil or rock. Mounted wheels or on sills. With engines or norse powers, rong, simple and durable. Any mechanic can erate them easily. Send for catalog.





### TRUSCOTT MARINE MOTORS.

The simplest, most powerful, and highest speed gasoline engines of their class upon the market.

Made single, double, and triple cylinder, both two and four cycle, ranging from 1 to 40 H. P. Catalog for the asking.

Truscott Boat Mfg. Co., ST. JOSEPH, MICH.

FOOT-POWER LAUNCH

with **ADJUSTABLE** SEATS.



Sometimes when a man starts a Gasoline Launch he says something. Our Foot-Power Launches go without saying. We also manufacture Gasoline Launches, Canoes (Canadian Model). St. Lawrence Skiffs. We build to any model specified. The Launches we carry in steek are the most suitable for our boat motors.

DURAND MFG. CO., 219 South Avenue, Rochester, N. Y.

HENRY CAREY BAIRD & CO., INDUSTRIAL PUBLISHERS, BOOKSELLERS & IMPORTERS, S10 Wallnut St., Philadelphia, Pa., U.S.A.

\*\*Tour New and Revised Catalogue of Practical and Scientific Books, 92 pages, 8vo.; a Catalogue of Books on Metallurgy, Mining, Prospecting, Muneralogy, Geology, Assaying, Analysis, etc.; a Catalogue of Books on Steum and the Steam Engine, Machinery, etc.; a Catalogue of Books on Steum former, Steam Engine, Machinery, etc.; a Catalogue of Books on Sanitary Science, Gas Fitting, Plumbing, etc., and our other Catalogues and Circulars, the whole covering every branch of Science applied to the Arts, sent free and free of postage to anyone in any part of the world who will furnish his address. INDUSTRIAL PUBLISHERS, BOOK SELLERS & IMPORTERS



the work in which you propose to succeed. For ten years we have been training ambitious people to succeed.

Write to-day for circular showing how you can get the

### TECHNICAL TRAINING BY MAIL

required by a Mechanical Engineer, Mechanical Draftsman, Steam Engineer, Electrical Engineer, Electrical, Telephone Engineer, Civil Engineer, Surveyor, Mining Engineer, Architect, Architectural Draftsman, Sign Painter, Letterer, Analytical Chemist, Ornamental Designer, Bookkeeper, Stenographer, Teacher, Cotton Mill Superintendent, Woolen Mill Superintendent, to Speak French, to Speak German, to Speak Spanish. State position you want.

International Correspondence Schools, Box 942, Scranton, Pa.

### ELECTRICAL ENGINEERING TAUGHT BY MAIL.

Write for our Free Illustrated Book.
"CAN I BECOME AN ELECTRICAL ENGINEER?"

teach Electrical Engineering, Electric Lighting, tric Railways, Mechanical Engineering, Steam Engineering, Mechanical Drawing, at your home by mail, stitute indorsed by Thos. A. Edison and others. LIECTRICAL ENGINEER INSTITUTE, Dept. A, 240-242 W. 23d St. New York.

EARN MORE Study in spare time. We teach you what you need to know to earn more prafting. Art, Architecture. Mining, Metallurgy, Business, Stenography, Journalism, Bookkeeping, etc.

Write for free catalogue 6, with full particulars.

Special Discounts Now. THE CONSOLIDATED SCHOOLS, 156 Fifth Ave., N. Y.

# ROSE POLYTECHNIC INSTITUTE

A College of Engineering. Mechanical, Electrical, Civil Engineering; Chemical Courses; Architecture. Exten sive shops, Modernly equipped laboratories in all de-partments. Expenses low. 20th year. For catalog address C. L. MEES, President, Terre Haute, Ind



Quickly Pays for Itself.
Simple, Durable and Easily Learned. Booklet Free.
C. E. LOCKE MFG. Co., 25 Walnut St., Kensett, Iowa.



ARB **ROLLER BEARINGS** for all purp

See March 1st issue of this paper, A PERFECT BEARING. DURABLE, GUARANTEED.

Send for Booklet 27. AMERICAN ROLLER BEARING COMPANY, 32 Binford Street, Boston, Mass.

# **Asbesto-Metallic Packings**



SHEETING, GASKETS, TAPE and PISTON PACKINGS. Will stand the highest steam pressure. 88 Pearl St., Boston, U. S. A.

Model and Experimental Work. Small manufacturing by contract. H. B. Ward, 50 Columbia St., Newark, N. J.

THE STEAM TURBINE; THE STEAM



QUIET RUNNING is only ONE of the advantages to be gained by using

New Process Pinions

instead of metal pinions. Our catalogue will tell you others. Write for it. We also make Metal Gears.

THE NEW PROCESS RAWHIDE CO., . Syracuse, N. Y. pressing them before baking.

which he follows by a treatment of river and canal engineering and irrigation works, dock works, maritime engineering and sanitary engineering. An admirably compiled index is not the least valuable feature of the book.

PRINCIPLES OF WESTERN CIVILIZATION. BY Benjamin Kidd. New York: The Mac millan Company. 1902. 12mo. Pp.

The author's book, "The Control of the Tropics," was a very much talked of work a few years ago, and his present contribution to a much-neglected corner of literature will be much appreciated. It shows the work of a deep thinker.

GRADED PHYSICAL EXERCISE. By Bertha Louise Colburn. New York: Edgar S. Werner Publishing and Supply Company. 16mo. Pp. 389. Price \$1.

This is an admirable book, dealing with a most important subject. The illustrations are excellent, and the whole scheme is a long step in advance of anything which has been done heretofore.

THE SCENERY OF ENGLAND AND THE CAUSES TO WHICH IT IS DUE. By the Rt. Hon. Lord Avebury. New York: The Macmillan Company. 1902. 8vo. Pp. 532. Price \$2.50.

It is rare that we find a book dealing with a geological subject published in such admirable form. The book is excellent, and deals with a subject which will interest all who care for natural science. It is elaborately illustrated by well-executed engravings and dia-



HINTS TO CORRESPONDENTS.

Names and Address must accompany all letters or no attention will be paid thereto. This is for our information and not for publication.

References to former articles or answers should give date of paper and page or number of question.

Inquiries not answered in reasonable time should be repeated; correspondents will bear in mind that some answers require not a little research, and, though we endeavor to reply to all either by letter or in this department, each must take his turn.

Buyers wishing to purchase any article not adver-

Buyers wishing to purchase any article not adver-tised in our columns will be furnished with addresses of houses manufacturing or carrying

the same.

Special Written Information on matters of personal rather than general interest cannot be expected without remuneration.

Scientific American Supplements referred to may be had at the ofnce. Price 10 cents each.

Books referred to promptly supplied on receipt of price.

price.

Minerals sent for examination should be distinctly marked or labeled

(8624) W. A. H. asks: We have frequent y heavy rainstorms with much lightning and very little thunder. We have again heavy rainsforms with vivid lightning and deafening crashes of thunder. Will you kindly explain the causes of these two phenomena? A. We have no especial explanation to advance why at any one time the thunder re-echoes loud and at another time it does not. The difference is perhaps due to the density of the clouds. A dense cloud would reflect the sound to the earth and confine it more than a thin cloud. When the air is much disturbed and mixed with masses of varying density near 'each other, sounds travel with difficulty and soon die out. This is usually the case in a thunder-storm to such an extent that the thunder is rarely heard twenty miles away from its starting point. Such considerations may help to explain the difference you mention.

(8625) C. B. H. asks: 1. How does the oil on the stormy water produce a smooth surface? Is it surface tension of the oil, or does it prevent the wind taking hold of the crest? A. Barker in his textbook on physics says: "Besides the surface tension of liquids there is another property possessed by their surfaces, called surface viscosity, which is independent of surface tension. Owing to the much greater viscosity of the superficial film of liquids over that of the interior, this film is very hard to break. Soap solution has high surface viscosity and low surface tension, and hence is easily blown into bubbles. To a like increase of superficial viscosity and decrease of surface tension is due the stilling effect of oil C.W.TRAINER MFG.CO. upon a rough sea." 2. I am making the little electro-plating dynamo described in "Experimental Science," page 494. I would like to know: What voltage it gives at what speed? What is its internal resistance? How should it be wound to give 9 or 10 volts? What would its internal resistance then be? To what extent can the voltage and current be controlled Engine of Maximum Simplicity and of Highest Thermal Efficiency. By Prof. R. H. Thurston. A valuable series of articles having cuts of some of the more efficient engines of this type—the Parsons', De Laval, Dow, etc.; with exhaustive tables giving the result of tests and much general data on the subject. Contained in Supplement Nos. 1306, 1307 and 1308. Price 10 cents each, For sale by Munn & Co. and all newsdealers electro-plating dynamo on page 494 of "Experimental Science." 'The machine has been built and has successfully plated small articles. Further we do not know. 3. Is the result worth the time and trouble in making carbon rods and plates as described on page 705, "Experimental Science"? A. It is not worth while for the amateur to make carbons. They can be bought very cheap, and cannot be made successfully without expensive machinery for

# OF EVERY DESCRIPTION AND FOR ALL USES. \*\*HARRINGTON & KING PERFORATING CO. 225 N. UNION ST. CHICAGO. ILL. U.S.A.

\$750 HYDRO-CARBON.

20-Mile Speed. 20 per cent. Grades. 100-Mile Gasoline Tank. 300-Mile Water Tank. 900 lbs. 6 H. P. Actual. Write for Catalogue.

FRIEDMAN AUTOMOBILE CO.,



### American Tubular Steel Wheels

AMERICAN TUBULAR WHEEL CO., Pittsburg, Pa.



**Price \$600** B. V. Covert & Co.

FREDERICK PEARCE

216 WILLIAM STREET

N. Y. CITY Manufacturer of ELECTRICAL, MECHANICAL and SCIENTIFIC APPARATUS. Our factory is equipped with the best up-to-date machinery and to s We make a specialty of model work for inventors, who have the beacht of assistance from our engineering dept. Further information on application.

### THE MOST MODERN AUTO



ELMORE AUTOMOBILES. Practical, Durable.
Efficient. Easy to
control at any
speed. Double cylinder motor,
smooth gliding mo
tion. 2models, \$800\$1500. Get further
information free.

FI MORE MANUFACTURING CO., Clyde, O., U.S. A

### Bicycles Below Gost

my we will sacrifice at less than actual factory New 1902 Mod els.

"Bellise," complete \$8.75

"Gassack," Guenned \$9.75

"Siberian," a Beauty \$10.75

Meudorf," Real Race, \$11.75

The modes equipment on all our bicycles.

Strongest marmites. Strongest guarantee.

We SHIP ON APPROVAL
C.O.D. to anyone without a cent denosit
& allow 10 DAYS FREE TRIAL
before purchase is binding.

before purchase is binding. 500 good 2nd-hand wheels \$3 to \$8. Do not buy a bicycle until you have written or our free catalogues with large photographic

MEAD CYCLE CO. Dept. 59W, Chicago.

BRAKE FRICTION IN CENTER OF HUB.

Coasts on Balls. Write for



Simple. 9 Pieces.

Light.

Guaranteed Satisfactory.

THE BARWEST COASTER BRAKE CO., 83 Chambers St., New York.



### THE NEW MARSH MOTOR CYCLE Model 1902. Price \$175.

A Gasoline Motor made with crank-disk, shaft in one piece, extra strong bearings; exhaust valve mechanism entirely within base, perfect lubrication, secured against dust, carburetter of the floatied type which has reached the greatest perfection. This Motor Cycle is the latest acquisition in the art. Made of the best material, simple and perfect in every detail. Constructed by high skilled experts in every department and is without a peer. Full descriptive circular on application. MOTOR CYCLE MANUFACTURING CO., Brockton, Mass., U.S.A.

### The Franklin Model Shop.

Experimental work for inventors; anything in metal from a single piece to a complete working model. Apparatus for colleges. Exhibition models. Introduction samples of patented articles. Special tools for making metal novelties. Inventions perfected. Drawings and designs worked out from inventors' ideas. Send for circular 9.

PARSELL & WEED, 129-131 West 31st Street, New York.

WANTED.—A Partner with money to patent small first-class invention in Canada. Will give part interest. Address A. A. S., Box 773, New York.

Magical Apparatus. Grand Book Catalogue. Over 700 engravings 25c. Parlor Tricks Catalogue, free. MARTINKA & CO., Mfrs., 493 Sixth Ave., New York.

VOLNEY W. MASON & CO., Friction Pulleys, Clutches & Elevators PROVIDENCE, R. I.

LINE EICHING ENGRAVING DA IRR
SEPHENDER ON Y

DRYING MACHINES. S. E. WORRELL Hannibal, Mo.

MODEL MACHINE & Experimental PATTERN SHOP.
GEO. KIRKEGAARD, Mechanical and Electrical Engineer, formerly with Thos. A. Edison, 514 Pearl Street, corner of Centre, New York City.

### PROPOSALS.

SEALED PROPOSALS WILL BE RECEIVED AT the office of the Light House Engineer, Tompkins-ville, N. Y., until one o'clock P. M., June 27, 1902, and then opened, for the metal work and erection of Fort Wadsworth Light House, New York Harbor, N. Y. Information furnished on application to Wm. T. ROSSELL, Major, Corps of Engineers, U. S. A., Engineer, 3d Dist.

### MODELS CHICAGO MODEL WORKS

HORNS FOR TALKING MACHINES Crane Bros., Mfrs. Westfield, Mass.

**NOVELTIES & PATENTED ARTICLES** Manufactured by Contract. Punching Dies, Special Ma-chinery. E. Konigslow & Bro.. 181 Seneca St. Cleveland, O.

PECIAL MANUFACTURING, SPEC. MACHINERY, MODELS EXPERIMENTAL WORK, DIES AND STAMPING. PROMPT. GLOBE MACH. & STAMPING CO. 970 HAMILTON ST. CLEVELAND, O.

MATCH Factory Machinery. W. E. WILLIAMS, Mfr., 217 South Clinton St., Chicago, U. S. A. Experimental & Model Work

STREEL TIMP WINNETER TIME
TYPE WHEELS, MODELS & EXPERIMENTAL WORK, SMALLMON,
NOVELTIES ETC. MEW TORK STREET WORKS 100 NASSAUST

ICE MACHINES, Corliss Engines, Brewers' and Bottlers' Machinery. THE VILTER MFG. CO., 899 Clinton Street, Milwaukee Wis.

MODELS & EXPERIMENTAL WORK E. V. BAILLARD, Fox Bldg., Franklin Square, New York



### GASMOBILE-

STANHOPE, SPECIAL, SURREY and TONNEAU BODIES.
9, 12 and 25 H. P. SPEEDS, 25, 30 and 40 MILES.
HIGHEST FINISH. BEST WORKMANSHIP. -IMMEDIATE DELIVERIES-

AUTOMOBILE COMPANY OF AMERICA Marion, Jersey City, New Jersey

# The Best Thing on Wheels all roads are alike to The OLDSMOBI

Nothing to Watch but the Road Ahead. Our new red catalog illustrates and describes it in detail.

THE PRICE IS RIGHT OLDS MOTOR WORKS, DETROIT, MICH.





WINTON TOURING CAR Wintons entered in the Long Island 100-mile (non-Endurance Contest made 100 per cent, exhibitions. To each was awarded a Blue Kibbon.



Touring Car-Tonneau Detachable.
Price Complete, \$2,000
The Winton Touring Car (Class D-less than 2000 lbs.) captured first honors and the silver cup award in the hill-elimbing contest. Get our catalog.
The Winton Moior Carriage Co., Cleveland, O. U.S.A.
Branches and agencies throughout the country.

# THE VICTOR 📤 Steam Pumps

Size, 9 inches by 3 inches, weight, 4½ pounds. Capacity of Air Pump, 80 pounds pressure on tanks or tires. Capacity of Water Pump, 3 gallons per min-ute against 200 pounds boiler pressure.

PRICE, \$30 00 EACH.
These pumps have been adopted by the Locomobile Co., the Mobile Co., and other leading manufacturers of steam carriages.

OVERMAN AUTOMOBILE CO., East 42d Street, New York. Send for Illustrated Circular.

# DO YOU WANT A MOTOR THAT GIVES NO TROUBLE?

TRY THE IMPORTED **KELECOM** MOTORS

Single and Double Cylinder Water Cooled

They have been thoroughly tried and found true. Went through the 100-Mile 1.ong Island test without a stop.

5. 7, Single Cylinder Double Cylinder

The price is extremely low.

The results have been proved.

A. H. FUNKE, 101 Duane Street, New York.

If it isn't an Eastman, it isn't a Kodak



A new folding KODA

for the pocket-almost for the vest pocket, at six dollars. Makes pictures 1% x 2½ inches, loads in daylight, has a fine meniscus lens, brilliant finder, automatic shutter-in fact, has the "Kodak quality" all the way through.

No. 0 Folding Pocket Kodak, for pictures 1 1 x 2 ½ inches, \$6.00 Transparent Film Cartridge, 12 exposures, 1% x 2½, Do., 6 exposures,

EASTMAN KODAK CO.

Catalogue free at the dealers or by mail.

Rochester, N. Y.

\$4,000.00 in prizes for Kodak and Brownie Pictures.



AT THE PAN-AMERICAN EXPOSITION. Send for Catalog.

Faneuil Watch Tool Company, BRIGHTON. BOSTON, MASS., U. S. A.

# Basket Shares Advancing to Par

Notice is hereby given that upon completion of negotiations now in progress, shares of the Mergenthaler-Horton Basket Machine Co. will be advanced to par. The present selling price of the shares is

(Par value \$1.00, full paid and non-assessable.)

There will be no intermediate price between 75 cents and par, as the present negotiations, now nearly completed, will equip the company at once with a great mill property surrounded by inexhaustible supplies of lumber at inconceivably low prices. The property includes over two miles of docks on one of the Great Lakes, with ideal facilities for cheapest water transportation of baskets to every fruit-growing district of New York, Michigan, Ohio, New Jersey, Delaware, Maryland, New England, Indiana and Illinois.

### 200 MACHINES.

Orders for which have been placed, will at once be installed in this great property, giving the company an equipment sufficient to turn out 180 million grape baskets and 600 million quart berry baskets per year, a total volume of business upon which the actual net profits exceed

### 2 1-2 MILLIONS OF DOLLARS

Or over 25 per cent. on the Company's entire capital.

This statement is given at this time in order that those who are considering investment in the shares of the Company may be fully and fairly informed and may, if they get promptly seque shares at act promptly, secure shares at

# CENTS EACH,

which shares will in a very short time be worth many times this price, because the Company has actual demand for the full output of this immense factory at prices which will yield the profit stated.

The time to decide this matter is NOW, and to assist those who wish to subscribe and who are not fully provided with the money, the Directors have authorized the acceptance of

### One-Quarter in Cash with Subscription

and balance in three equal monthly installments.

Not less than fifty and not more than five thousand shares will be accepted in a single subscription, and the right is reserved to reject any subscription. Checks should be drawn to the order of Charles R. Barlow, Treasurer.

N. B. The automatic basket making machines of the Company are on exhibition, making baskets in Boston at 179 Tremont Street, in Chicago at 118 Monroe Street, and in Philadelphia at 812 Chestnut Street, and they will at once be placed upon exhibition also in Pittsburg, Buffalo and St. Louis.

# The MERGENTHALER-HORTON BASKET MACHINE (O.

Executive Offices, 287 BROADWAY, NEW YORK.

Solicitors FLETCHER, McCUTCHEON & BROWN 76 William Street, New York.

Transfer Agents CORPORATION TRUST COMPANY 135 Broadway, New York.



PRICE \$250.00 Fitted with the New Orient 3 H. P. Motor.
Speed over 40 Miles per hour.
The Most Powerful Motor Bicycle in the World. Write for Pa ticulars. Agents Wanted.

WALTHAM MFG. CO., Waltham, Mass. JESSOP'S STEELTHE VERY FOR TOOLS, SAWS ETC. WM JESSOP & SONS LP 91 JOHN ST. NEW YORK

### **ASBEST** DIRECT FROM MINES

**PREPARED** 

R. H. MARTIN ASBESTOS FIBRE OFFICE, ST. PAUL BUILDING for Manufacturers use 220 B'way, New York.

CHARTER GAS ENGINE CO., Box 148, STERLING, ILL,



# ENGLAND WATCHES

have a world-wide reputation gained by results as accurate timekeepers. We make all sizes and styles. We sell only complete watches/ Catalogs sent on request.

THE NEW ENGLAND WATCH CO.

131 Wabash Ave., Chicago. 37 & 39 Maiden Lane New York

Claus Spreckels Building, San Francisco.

### Big and Little-Heavy and Light The HARTFORD SINGLE TUBE and DUNLOP TUBE Tires Stand foremost for Uniform Quality, Honest Construction and Durability. That each is the most serviceable tire of its class is universally acknowledged by those buyers who desire The Best regardless of cost, and thus consider the question of their needs intelligently. Let us advise you regarding the proper size and weight of tire best adapted to your requirements Branches in principal cities. The HARTFORD RUBBER WORKS COMPANY HARTFORD CONN (Users of SOLID RUBBER TIRES may rest assured that our reputation as makers of only high-class goods will be carefully sustained in connection with this product) TUBE



CHAINLESS AUTOMOBILES



Have many exclusive features—Flexible Frame, One Hand Control, Bevel Gear Drive—No Chettn, Engine and Transmission running in oil, Large Fuel and Water Capacity, Instantaneous Foot Reverse, and a Burner with a pilot light that doesn't blow out.

Blue Ribbon Winner Long Island Endur-ance Contest. Record of 100 per cent.

Century Motor Vehicle Co., Syracuse, N. Y., U. S. A.

New Catalogue

# **PRESIDENT** Suspenders

are made to make men comfortable



A'll varieties at lowest prices. Best Ran A'lso 1000 useful articles, including Saft Also 1000 useful articles, including Saft Sewing Machines, Bicycles, Tools, etc. Save Money. Lists Free. CHICAGO SCALE Co., Chicago, Ill.



### **ACCOUNTANTS** who use the Comptometer

have no trouble with their trial balance. Has it ever oc-curred to you that by getting one you might save lots of time, avoid mistakes and not ruin your nerves?
Write for Pamphlet.

FELT & TARRANT MFG CO. 52-56 ILLINOIS ST., CHICAGO.

### STEWARD'S WONDER

The Exponent of Highest Art in

ACETYLENE BURNERS Sample 25c.in stamps
STATE LINE MFG. CO., Chattanoga, Tenn., U. S. A.

307 Chambers St., New York.

THE STANDARD ACETYLENE LAMPS FOR VEHICLES OF ALL SORTS FOR YEARS HAVE BEEN

# SOLAR LAMPS



From the time of the introduction of Acetylene Gas there has been only one lamp that would stand every test—The Solar. The acme of Solar perfection is the new French Auto Headlight illustrated here. Our cata-logue tells all about Solar Lamps of all kinds.

BADGER BRASS MFG. CO., = - Kenosha, Wis.



PSU USE GRINDSTONES? If so we can supply you. All sizes mounted and numounted always kept in stock. Remember, we make a specialty of selecting stones for all special purposes.

The CLEVELAND STONE CO. 2d Floor, Wilshire, Cleveland, O.

WANTED

### "KEYLESS CLOCK."

Just being intr-duced to the public. Clocks are self-winding and run a year without attention; no one will buy key wound clocks when they see and have an opportunity to buy the latest thing; full line of samples now ready; parties having \$500 and upward to invest and ability to manage can secure agency for cities not already taken; parties making arrangements now will have name appear in our advertisements. Address The United States Clock Co., executive offices, No. 405 Broome Street, New York.